


00

PHYSICAL ATLAS.

The Only Practical Family Doctor Book Now In
Existence.



The Power to Heal or Cure Depends upon
Our Knowledge of Disease and Remedies.
This Work Imparts that Knowledge.

RC

81

W395

3



Class *RC 81*

Book *W 395*

Copyright N^o _____

COPYRIGHT DEPOSIT.









PHYSICAL ATLAS,

—OR—

PRACTICAL FAMILY DOCTOR BOOK,

CONTAINING

300 Modern and Up-to-Date Recipes For
Treating both General and
Special Diseases.



Diseases Diagnosed by Illustrations
Showing the Location of Pains and
Aches Produced by Each Ailment.



COLLECTED AND COMPILED BY DR. B. F. WEAVER, SPECIALIST, AND AUTHOR OF
DR. WEAVER'S NEW ILLUSTRATED FAMILY ATLAS OF HUMAN
DISEASES, WOMAN'S GUIDE TO HEALTH,
VENEREAL DISEASES, ETC.



BUCYRUS, OHIO.

PUBLISHED BY THE AUTHOR.

1902.

P 201
W375

THE LIBRARY OF
CONGRESS,
Two Copies Received
JUL 24 1902
COPYRIGHT ENTRY
Jan. 6-1902
CLASS a XXc No.
24409
COPY B.

Entered according to Act of Congress in
the year 1902, by
DR. B. F. WEAVER,
In the Clerk's Office of the Librarian of Con-
gress at Washington.

THE LIBRARY OF
CONGRESS,
Two Copies Received
JUL 24 1902
COPYRIGHT ENTRY
Jan. 6-1902
CLASS a XXc No.
24409
COPY B.

Weights and Measures.

One teaspoonful.....60 minims or drops
 One dessertspoonful.....120 drops
 One tablespoonful.....240 drops

One teaspoonful.....1 drachm
 One tablespoonful.....½ ounce

Twenty grains, minims or drops 1 scruple
 Three scruples.....1 drachm
 Eight drachms.....1 ounce
 Sixteen ounces.....1 pint or pound

The letter "M." at the end of a recipe stands for mix.

Sig.—sig'na.* "Mark," or "write." A word added at the end of recipes to show what directions are to be copied by the druggist for the guidance of the patient.

Q. S. Ad, reads, "add quantity sufficient to make."

R.—Rec'i-pe.* "Take"

Proportionate Doses for Children.

When teaspoonful doses are prescribed for adults, the proportionate dose for children is as follows:

Age 6 months.....	3 to 5	drops
" 1 year	5 to 7	"
" 2 years	9	"
" 3 "	11	"
" 4 "	13	"
" 5 "	15	"
" 6 "	18	"
" 7 "	21	"
" 8 "	24	"
" 9 "	27	"
" 10 "	30	"
" 11 "	33	"
" 12 "	36	"
" 13 "	39	"
" 14 "	42	"
" 15 "	44	"
" 16 "	47	"
" 17 "	50	"
" 18 "	52	"
" 19 "	55	"
" 20 "	58	"
" 21 "	60	"

In either adults or children, females usually require smaller doses than males.

When giving a child medicine from a bottle that was prepared for adults, always dilute with water, and add sugar to sweeten.



This engraving represents the different forms of headache. No. 1, nervous headache; 2, torpid liver; 28, a lack of acid in the stomach, and 45, a lack of alkali in the stomach.

Thus it is seen that each form of headache is produced by a different cause; hence, requires different treatment. So it is with all other forms of disease.

With few exceptions, each ailment causes one or more isolated symptoms; that is, each disease causes a pain or an ache at some point on the body where they are not produced by other ailments. It is these symptoms only, that makes it possible to place before the public a practical system by which diseases are diagnosed, and, at the same time, can be properly treated.

RECIPES.

—No. 136—

Constipation.—Baron, M. D.

℞ Ext. Aloes.....18 grains
 Quinine Sulph.....12 grains
 Pil. Hydrarg.....6 grains
 Ext. Rhei.....17 grains

M. For 12 pills. Sig.—One at noon and bed-time.

—No. 137—

Habitual Constipation.—Cutter.

For habitual constipation in delicate persons with feeble digestive organs:

℞ Ext. Cascara Sagrada.....40 grains
 Ext. Nucis Vomica.....5 grains
 Ext. Belladonna.....3ʒ3 grains
 Pulveris Capsici.....10 grains

M. For 20 tabloids. Sig.—One to three tabloids daily after food as needed.

SYMPTOMS OF DISEASE.




Fig. 1

1. Nervous headache. Use recipe No. 152.
2. Torpid liver. Use No. 165, or if stomach is very weak use recipe 159 and 358.
3. Rheumatism. Use recipes 210 and 214.
4. Indigestion. If sallow, foul taste, use 159. If excessive pain or cramping, use 171.
5. Rheumatism. Use recipes 210 and 214.
6. Diseased liver. For treatment, use 207.
7. Rheumatism. Use recipes 210 and 214.
8. Inflammation of cæcum, use 205 or 298.
9. Urethral trouble. Use recipe 175 or 177.
10. Rheumatism. Use recipes 210 and 214.
- 11, 12. Cramping. Use 266.

—No. 138—

Diarrhœa.—H. Atla.

- ℞ Tinct. Opium.....2 drachms
 Tinct. Capsici.....2 drachms
 Spts. Camphor.....2 drachms
 Chloroform Pur.....45 minims
 Spirits Frumenti, to make.....10 drachms
- M. Sig.—Dose, 20 to 40 drops to be taken every two or three hours, oftener in severe cases.

—No. 139—

Acute Diarrhœa.—Yeo.

- ℞ Sodium Bicarbonate.....1 drachm
 Aromatic Spirits Ammonia.....3 drachms
 Tinct. Cardamom Comp.....6 drachms
 Aquæ Cinnamon.....6 ounces
- M. Sig.—One to two tablespoonfuls every two or three hours.

—No. 140—

Diarrhœa and Dysentery.—Bartholow.

- ℞ Alum.....1 drachm
 Ext. Opium.....10 grains
 Catechu.....1 drachm
- M. For 20 pills. Sig.—Take two pills every two to four hours.

—No. 141—

Dysentery.—Crabb.

- ℞ Chloroform.....1 drachm
 Creasote.....8 drops
 Camphor.....16 grains
 Oil Peppermint.....16 drops
 Syr. Auranti Cort.....1 ounce
 Mucilage Acacia.....3 ounces
- M. Sig.—Take one teaspoonful every three hours.

—No. 142—

Acute Dysentery.—Bartholow.

- ℞ Cupri Sulphat.....½ grain
 Magnesia Sulphat.....1 ounce
 Acid Sulphuric Dil.....1 drachm
 Aquæ.....4 ounces
- M. Sig.—Take one tablespoonful every four hours.

—No. 143—

Cholera Morbus.—Cycl. of Practical Med.

- ℞ Carbolic Acid.....3 grains
 Glycerin.....2 drachms
 Camph. Tinct. Opium.....6 drachms
 Aquæ Cinnamon.....1 ounce
- M. Sig.—One teaspoonful immediately after each paroxysm of vomiting.

—No. 144—

Cholera Morbus and Kindred Complaints.

- ℞ Oil Cinnamon.....10 drops
 Chloroform.....6 drachms
 Tinct. Opium.....6 drachms
 Tinct. Camphor.....6 drachms
 Spts. Frumenti.....1½ ounces
 Spts. Ammo. Aromat.....6 drachms
- M. Sig.—One-half to one teaspoonful every two hours, or oftener at first in severe cases. H. Atla.

—No. 145—

To Prevent Cholera.—Todd.

- ℞ Acid Sulph. Dil.....2 drachms

Spir. Vin. Gallic.....2 ounces
 Syrup Auranti Cort.....8 ounces
 M. Sig.—One tablespoonful in a glass of water
 one hour before and two hours after meals.

—No. 146—

Dyspepsia.—

Sir T. Lauder Brunton emphasizes the following points in instructing patients who are troubled with dyspepsia:

1. Eat slowly, masticate and insalivate thoroughly. And, if necessary, follow Sir Andrew Clark's rule—count the bites.

2. Take the solids and liquids separately, so as not to dilute the gastric juice nor weaken the digestive powers of the stomach.

3. The best fluid is hot water, taken early in the morning and an hour or two before noon and evening meals.

a. Alkalics before meals stimulate secretion of gastric (stomach) juice.

b. Acids before meals check acid secretions of the stomach.

—No. 147—

Dyspepsia with Bloating.—Eloy.

℞ Creasot. Pur.....10 drops
 Sodii Bicarb.....2 drachms
 Acacia Pulv.....q. s.
 Aquæ Dest.....5 ounces
 M. Sig.—A coffeespoonful 1 hour after each meal.

—No. 148—

Dyspepsia with Sour Stomach.—A. M. A.

℞ Bismuth Sub-Nit.....4 drachms
 Mucilag. Acacia.....1 ounce
 Sodium Bicarb.....4 drachms
 Infus. Calumba, to make.....8 ounces
 M. Sig.—Shake. One tablespoonful after each meal.

—No. 149—

Indigestion with Costiveness.—Baillie.

℞ Ext. Aloes.....1 scruple
 Pulv. Ipecac.....8 grains
 Pulv. Zingib.....½ drachm
 M. For 16 pills. Sig.—One before breakfast.

—No. 150—

Indigestion.—Emans.

Where there is bloating, pain in bowels, constipation, coated tongue, foul taste, little or no appetite, take the following:

℞ Pulv Rhei.....48 grains

Sod. Bicarb.....½ ounce
 Pulv. Ipecac.....8 grains
 Tinct. Nucis Vomica.....2 drachms
 Aquæ Ment. Pip., to make.....6 ounces
 M. Sig.—Two teaspoonfuls before each meal.

—No. 151—

Headache.—Merkley.

℞ Acetanilid.....12½ grains
 Sodium Salicylate.....25 grains
 Ammonia Bromide.....30 grains
 Caffein.....5 grains
 M. For 5 powders. Sig.—One powder every four hours until relieved or three have been taken.

—No. 152—

Nervous Headache.—H. Atla.

Nervous headache is a burning pain on top of the head, usually affecting women.

℞ Antikamnia.....1 drachm
 Cit. Caffeine.....12 grains
 Sodium Salicylate.....24 grains
 M. For 16 powders. Sig.—One every three hours until relieved or three powders have been taken.

One dose of Acetanilid, 3½ to 5 grains, will often answer the same purpose.

—No. 153—

Headache of Nervous Debility.—Collins.

℞ Caffein Salicylate.....20 grains
 Ammonium Salicylate.....50 grains
 Phenol Salicylate.....50 grains
 M. For 20 capsules. Sig.—One every 3 to 4 hours.

—No. 154—

Headache of Nervous Prostration.—R. M.

℞ Zinc Valerinate.....4½ grains
 Iron Sulphate.....4½ grains
 Ext. Rhubarb.....4½ grains
 Asafœtidæ.....4½ grains
 M. For 20 pills. Sig.—One three times a day.

—No. 155—

Billious Headache.—Med. Jour.

Coated tongue, foul taste, no appetite, etc.

℞ Pulv. Opium.....1 grain
 Pulv. Ipecac.....1 grain
 Hydrarg. Chlo. Mit.....4 grains
 M. For 8 capsules. Sig.—One three times a day.

—No. 156—

Headache with Irritable Stomach.—H. Atla.

℞ Bismuth Sub-Nit.....2½ drachms

SYMPTOMS OF DISEASE.




Fig. 2.

- 13 Stomach trouble. Use 159 or 165.
If pain is relieved by eating, use 168.
If pain is aggravated by eating, use 169.
If cancer of stomach, use 170.
- 14 Muscular rheumatism. Use 212.
- 15 Diseased liver. Use 207 and 180.
- 16 Muscular rheumatism. Use, 212.
- 17 Diseased womb. Use 368 378. and 180.
- 18 19 Ovaries and fallopian tubes. Use 363.
- 20 21 Muscular rheumatism. Use 212.
- 22 23 Nervous debility. Use 361.

R Pulv. Ext. Belladonna.....2 grains
Pulv. Podophyllin.....3 grains
Sac. Pepsin.....3 drachms
Morphia Sulph.....1½ grains

M. For 24 powders. Sig.—One every 3 or 4 hours until relieved, then one powder after each meal.

—No. 157—

Pain at Eyebrows.—H. Atla.

R Acid Muriatic Dil.....6 drachms
Tinct. Cardamom.....2 ounces
Pepsin Pure.....¼ ounce
Aquæ Dest., to make.....4 ounces

M. Sig. One teaspoonful every 3 or 4 hours first

day, then one teaspoonful after each meal, in water.

—No. 158—

Pain in Forehead.—H. Atla.

If constipated take this:

R Magnesia Sulph.....2 ounces
Ferri Sulph.....15 grains
Acid Sulph. Dil.....2 drachms

M. Sig.—One teaspoonful every morning upon waking, in a half tumbler of cold water.

If not constipated, take this:

R Sodium Bicarb.....2½ drachms
Liquor Potass.....2 drachms
Spts. Ammo. Aromatic.....5½ drachms
Aquæ Menth. Pip., to make.....3 ounces

M. Sig.—One teaspoonful before meals, in water.

—No. 159—

Pain in Back of Head and Neck.—H. A.

R Pulv. Podophyllin.....½ grain
Hydrarg. Chlo. Mit.....5 grains
Creta Preparata.....20 grains

M. For 5 powders. Sig.—One powder at bedtime. Repeat every fourth evening if needed.

—No. 160—

Hemicrania.—(Severe pain affecting one half or side of the head.)—Leyden.

R Fl. Ext. Cocoa.....60 parts
Sodium Bicarbonate.....5 parts
Sherry Wine.....20 parts
Melissa Aquæ.....200 parts
Oleosaccharate of Lemon.....10 parts

M. Sig.—One teaspoonful three times a day.

—No. 161—

Neuralgic Headache.—A. M. A.

Subjects of this form of headache are very anemic (deficiency of blood) as a rule and require diet and rest. Also the following:

R Tinct. Nucis Vomica.....4 drachms
Liq. Potass. Arsenitis.....1 drachm
Aquæ Camphor to make.....2 ounces

M. Sig. One teaspoonful after each meal, in water.

—No. 162—

Chronic, Neuralgic Headache.—Kenyon.

R Zinci Phosphidi.....½ grain
Ext. Cannabis Indica.....2½ grains
Ext. Nucis Vomica.....2½ grains
Quinine Sulphate.....10 grains
Soda Arsenatis.....¼ grain
Ext. Aconite Radicis.....2 grains

M. For 20 pills. Sig.—One at 10 A. M. and at 4 and 9 P. M.

—No. 163—

Headache, Distress after Eating.—H. Atla.

- ℞ Sac. Pepsin.....3 drachms
 - Bismuth Sub-Nit.....2½ drachms
 - Pulv. Podophyllin.....3 grains
 - Pulv. Ext. Belladonna.....2 grains
 - Morphia Sulph.....1½ grains
- M. For 24 powders. Sig.—One powder every 3 or 4 hours until relieved, then one after each meal.

—No. 164—

Sick Headache from Biliousness.—H. A.

- ℞ Hydrarg. Chlo. mit.....2½ to 5 grains
 - Creta Preparata.....25 grains
- M. For 5 powders. Sig.—Take one at bed-time.
- On the following day begin taking this:
- ℞ Sac. Pepsin.....3 drachms
 - Bismuth Sub-Nit.....2½ drachms
 - Pulv. Podophyllin.....3 grains
- M. For 24 powders. Sig.—One after each meal.

—No. 165—

Pain at Stomach, Pain in Back of Head and Neck. (Billiousness)—H. Atla.

- ℞ Hydrarg. Chlo. Mit.....5 grains
 - Creta Preparata.....25 grains
- M. For 5 powders, Sig.—Take one at bed-time.
- On the following day begin taking this:
- ℞ Ext. Podophyllin fl.....1½ drachms
 - Tinct. Cinchona Comp., to make.4 ounces
- M. Sig.—One teaspoonful three times a day. If bowels move too freely, lessen the dose.

—No. 166—

Spasmodic Pain in Stomach.—Abercrombie.

- ℞ Ferri Sulph.....20 grains
 - Pulv. Aloes.....10 grains
 - Pulv. Cinnamon Comp.....1 drachm
- M. For 20 pills. Sig.—One pill after each meal.

—No. 167—

Acute Neuralgia of Stomach.—Rochelle.

- ℞ Tinct. Opii Deodor.....1 drachm
 - Bismuth Sub-Nit.....2 drachms
 - Cascara Cordial.....½ ounce
 - Pulv. Acacia.....1½ drachms
 - Aq. Mentli, Pip., to make.....2 ounces
- M. Sig.—Take a tablespoonful every four hours as a preventive, or every hour to relieve pain.

—No. 168—

Catarrh of Stomach.—H. Atla.

- ℞ Argenti Nitras.....4 grains



- Ext. Belladonna.....2 grains
 - Ext. Opii.....3 grains
 - Mannæ q. s.
- M. For 32 pills. Sig.—One 1½ hours after meals.

—No. 169—

Ulcers of Stomach.—Med. Bul.

- ℞ Morphia Sulph.....2 grains
 - Atropia Sulph.....¼ grain
 - Cerii Oxalatis.....1 drachm
- M. For 32 powders. Sig.—One four times a day.

—No. 170—

Cancer of Stomach.—Remley.

- To relieve pain and to assist digestion:
- ℞ Ext. Condurango fl.....2 ounces
 - Acid Hydrochloric Dil.....2 drachms
 - Syrup Acacia.....4 ounces
- M. Sig.—Two teaspoonfuls in water before eating.

—No. 171—

Severe Pain or Cramping of Stomach.

If complexion is sallow, tongue coated, foul taste, etc., empty the stomach with this:

- ℞ Pulv. Ipecac.....15 to 30 grains
- Hot water.....2 tablespoonfuls

Mix and take at one dose. Repeat in 30 minutes if first does not suffice. Swallow plenty of hot water during process of vomiting to cleanse the stomach. Then eat nothing for 12 or 18 hours, the stomach needs rest. Then use recipe 165.—H. Atla.

—No. 172—

Burning at Stomach.—H. Atla.

- ℞ Pepsin Pure.....½ drachm
 - Pancreatine.....½ drachm
 - Lacto Phosphate of Lime.....3 scruples
- M. For 30 powders. Sig.—One after each meal.

—No. 173—

Heartburn.—Finkler.


- ℞ Papoid.....15 grains
 - Acid Boracic.....36 grains
- M. For 12 powders. Sig.—One to be taken dry on the tongue as needed.

—No. 174—

Lotion for Pimples.—Sherwell.

- ℞ Potass. Sulph.....½ drachm
 - Zinc Sulph.....½ drachm
 - Aquæ Dest.....½ ounce
 - Aquæ Camphor.....½ ounce
 - Aquæ Rose.....2 ounces
- M. Sig.—Shake and apply to pimples twice daily.

SYMPTOMS OF DISEASE.



- 24 25, 26, 27. Diseased eye, teeth, throat or ear may produce these symptoms. If from sore throat, use 194, 195 or 196. If from inflamed ear, use 281 or 282. If from eye-refraction, consult an oculist. If from decayed teeth, consult a dentist.
- 28 Stomach trouble. Use recipe 157.
- 29 Bronchitis. Recipe 186, 187, 188 or 189.
- 30 31 Womb trouble. Use 368, 378, 180.
- 32 33 Ovary-ache. See Note in No. 363.
- 34 Ovarian trouble. Use recipe 363.
- 35 Womb trouble. Use 359, 370 and 180.
- 36 Bladder trouble. Use 175 176 or 177.
- 37 Reflex pain of diseased hip joint. For treatment, use 198.

—No. 175—

Irritable Bladder with Constant Desire to Urinate.—H. Atla.

- ℞ Acid Benzoic.....2 drachms
Sodii Boratis.....3 drachms
Aquæ Dest.....4 ounces
- M. Sig.—One teaspoonful three times a day.

—No. 176—

Burning, Frequent Desire to Urinate.—A.

- ℞ Acetate Potass.....½ ounce
Tinct. Belladonna.....2 drachms
Syrup Simp., to make.....4 ounces
- M. Sig.—One teaspoonful three times a day.

—No. 177—

Scalding, Brick Dust Deposit in Urine.—A.

- ℞ Acetate Potass.....½ ounce
Liq. Ammo. Acetate.....2 ounces
Spts. Æth. Nit.....1 ounce
Syr. Aurant. Cort., to make...4 ounces
- M. Sig.—One teaspoonful every four hours.

Eat no fruit, lemons, pickles, vinegar, in fact, nothing sour, until all trouble is cured.

—No. 178—

To Prevent Vomiting.—A. Hour.

- ℞ Spir. Menthæ.....26¼ minims
Spir. Anisi.....26¼ minims
Tinct. Opii.....15 minims
Paraldehyde.....½ drachm

Mix the spirits, dissolve the paraldehyde and add the tincture. Sig.—Dose. 20 to 40 drops, 3 to 5 times daily in sweetened water.

—No. 179—

Spasms of Ureters.—H. Atla.

- ℞ Acetate Pot.....½ ounce
Tinct. Belladonna.....2 drachms
Syrup Simp., to make.....4 ounces
- M. Sig.—One teaspoonful every 3 or 4 hours.

—No. 180—

Dr. Hall's Secret Remedy.—

Hall's secret remedy is simply "flushing the bowels with warm water," which affords immediate relief in stomach and bowel trouble, and if kept up, purifies the entire system.

It is a specific for kidney, liver and lung trouble, cleanses and beautifies the skin, and for this purpose is of great value to ladies who desire a clear complexion. It affords relief and cure to almost all female disorders.

The water should be used at bedtime, warm as can be borne, and taken in abundance, all that can be taken, from a quart to a gallon, and after taking and discharging it thoroughly, inject about a pint more, with a little salt added, and retain until morning.

When used for the general health, it may be injected every third or fourth evening, but in case of sickness, it should be used every other night. Capsicum, slippery elm, lobelia and other things may be used with advantage in the water when indicated.

—No. 181—

Colds, Coughs, etc.—Medical Summary.

- ℞ Ammon. Carbonas.....12 grains
 Fl. Extract Tolu.....12 minims
 Fl. Extract Senega.....12 minims
 Fl. Extract Squills.....12 minims
 Fl. Extract Opii Camph.....12 minims
 Chloroform Water.....3 ounces
 Syrup Orange Peel, to make.....4 ounces
 M. Sig.—Take a teaspoonful every 3 or 4 hours.

—No. 182—

Snuff for Acute Colds.—Stowell.

- ℞ Sodii Biarb.....2 grains
 Magnesia Carb. (Levis).....3 grains
 Menthol.....1 grain
 Cocaine Hydroch.....4 grains
 Sacch. Laetis.....1½ draehms
 M. Sig.—Use as a snuff every three or four hours.

—No. 183—

Colds in the Head.—Brand.

- ℞ Carbolic Acid.....¾ draehm
 Ammonia.....¾ draehm
 Alcohol.....3 draehms
 Aquæ.....4 draehms
 M. Sig.—Ten drops are let fall on blotting paper and the mixture inhaled for a minute or two every two or three hours.

—No. 184—

Coughs.—Roosevelt Hospital, N. Y.

- ℞ Codein.....4 grains
 Acid Hydrocyanic Dil.....15 drops
 Ammo. Chloride.....40 grains
 Syrup Pruni Virginia, to make.....2 ounces
 M. Sig.—Teaspoonful every three or four hours.

—No. 185—

Consumptive Cough.—Morton.

- ℞ Acid Hydrocyanic Dil.....16 minims
 Mueil. Acacia.....1 ounce
 Syrup Tolutani.....½ ounce
 Aquæ Dest., to make.....8 ounces
 M. Sig.—One tablespoonful every three hours.

—No. 186—

Bronchitis and Cough Syrup.—Weaver.

- ℞ Ammonia Chloride.....1½ draehms
 Syr. of Ipecae.....3 draehms
 Syr. of Tolu.....2 ounces
 Ext. Glyeyrrhiza.....1 draehm
 Apomorpha Muriate.....1 grain
 Acid Muriatie Dil.....20 drops
 Alcohol.....½ ounce
 Aquæ Dest.....1 ounce
 Dissolve apomorpha in the water, then add the

other ingredients. Sig.—Fifteen drops every hour, or a teaspoonful every three or four hours.

—No. 187—

Acute Bronchitis.—Da Costa.

- ℞ Terebene fl.....2 draehms
 Mueilag. Acaeia fl.....2 ounces
 Morphine Sulph.....½ grain
 Syrup Tolu fl.....1 ounce
 M. Sig.—Teaspoonful every three hours.

—No. 188—

Chronic Bronchitis.—Love.

- ℞ Eucalyptol.....1 draehm
 Tinct. Opii Camph.....4 draehms
 Syrup Tolu.....1 ounce
 Syrup Simp., to make.....4 ounces
 M. Sig.—Teaspoonful every four hours.

—No. 189—

Elixir for Bronchitis.—Crinon.

- ℞ Terpini Hydrat.....80 grains
 Glycerin.....1¼ ounces
 Spir.....1¼ ounces
 Mellis Despumat.....2 ounces
 Tinct. Vanilla.....75 minims
 M. Sig.—One teaspoonful every 2 to 3 hours.

—No. 190—

Tonsilitis.—Newcomb.

- ℞ Pulv. Opii Deod.....2 grains
 Tinct. Veratra Viridi.....8 minims
 Hydrarg. Chlo. Mit.....2 grains
 Oil Anise.....1 drop
 Sacchhari. Laetis q. s.
 M. For 20 tablets. Sig.—Take one every hour.

—No. 191—

Acute Tonsilitis.—Ingals.

- ℞ Guaiacol.....1 draehm
 Oil Amygdal Expressi.....1 draehm
 M. Sig.—Apply on inflamed tonsils with a throat brush, every one or two hours.

Give internally:

- ℞ Potassii Bromidi.....4 scruples
 Sodii Salicylatis.....½ draehm
 Tinct. Opii Deod.....½ draehm
 Casarea Cordial, to make.....1 ounce
 M. Sig.—Teaspoonful every four hours, in water.

—No. 192—

Quinsy and Sore Throat.—Rousseau.

- ℞ Sodii Boratis.....½ draehm
 Sodii Chloratis.....½ draehm
 Glycerini Puri.....2 draehms
 Mellis Rosari.....1 draehm
 M. Sig.—Paint throat and tonsils five or six times daily, with a brush, or use as a gargle.

SYMPTOMS OF DISEASE.




Fig. 4.

- 38 Reflex pain of diseased or injured spine. For this trouble, consult a good doctor.
- 39 Womb trouble. Use 180, 368 and 378.
- 40 Torpid liver. Use 159, or 165 and 180.
- 41 Enlarged spleen. Use 197.
- 42 Lumbago. Use 213.
- 43 Womb trouble. Use 180, 359 and 378.
- 44 Sciatica. Use 217.

—No. 193—

Sore Mouth.—H. Atla.

R Hydrastis fl.....1 ounce
Glycerin.....1 ounce
Acid Carbolic.....5 drops

M. Sig.—One teaspoonful every two or three hours. Let it come in contact with all parts of the mouth then swallow.

—No. 194—

Acute Sore Throat.—Martains.

R Carbolic Acid.....1 part
Camphor.....1 part
Glycerin.....50 parts
Aquæ Dest.....50 parts

M. Sig.—Apply to the throat three or four times daily, with a soft brush, or use as a gargle.

—No. 195—

Putrid Sore Throat.—Late Milner Fothergill.

R Tinct.—Myrrhæ.....2 ounces
Mellis.....1 ounce
Acid Acetic Dil.....2 ounces
Infusion Serpentaria.....2½ pints

M. Tig.—Use as a gargle every one or two hours.

—No. 196—

Fetid, Chronic Sore Throat.—Sajous.

R Potass. Permanganatis.....1½ grains
Aquæ Dest.....1½ ounces

M. Sig.—Use with an atomizer several times daily.

—No. 197—

Enlarged Spleen.—Andrews.

Tinct. uvedaliæ ½ ounce, water 3½ ounces. Mix and take a teaspoonful four times a day. Apply locally, with a liniment made from the same, night and morning.

—No. 198—

Diseased or Injured Hip-Joint.—H. Atla.

If pain is increased by sudden changes in the weather, take the following:

R Sodium Salicylate.....3½ drachms
Aqua Dest.....3 ounces

M. Sig.—One teaspoonful every hour until slight ringing in the ears, or less if pain ceases.

—No. 199—

Diseased Intestines.—H. Atla.

R Bismuth Sub-Nit.....80 grains
Salol.....60 grains

M. For 20 powders. Sig.—One every three hours.

—No. 200—

Enlarged Heart.—Da Costa.

Diet should consist of milk, fish and vegetables. No coffee or tobacco. Take this:

R Tinct. Aconiti.....32 drops
Tinct. Verat. Viridie.....96 drops
Syr. Zingiberis.....256 drops
Aquæ, to make.....4 ounces

M. Sig.—One teaspoonful three times a day.

—No. 201—

Heart Stimulant.—Caille.

R Camphor.....1 drachm
Flor. Benzoin.....1 drachm
Theobromæ.....2 drachms

M. For 20 powders. Sig.—One powder three or four times a day.

—No. 202—

Rectal Abscess.—Hearn.

- R Iodoform20 grains
 Bismuth Carbonat.....40 grains
 Morphia Acetat.....1 grain
 Oil Theobrom, q. s.

M. For 10 suppositories. Sig.—One to be placed in the rectum morning and evening.

—No. 203—

Prolonged Hiccough.—Sir Morrel Mackenzie.

Give a pinch of snuff or pepper, or tickle the nostrils to cause a paroxysm of sneezing, after which the patient falls quickly back to sleep breathing like a new born infant.

Dr. Noir draws out the tongue and holds it protruded for a space of a minute and a half, which calms the spasms.

—No. 204—

Ointment for Varicose Ulcers.—Therapeutist.

- R Acid Carbolic.....½ drachm
 Acid Boracic.....2½ drachms
 Camphor2 drachms
 Ichthyolis5 drachms
 Oil Amygdala Dulc.....2½ drachms
 Ungt. Zinc Oxid.....3½ ounces

M. Sig.—Apply to ulcer once or twice a day.

—No. 205—

Inflammation of the Sæcum.—H. Atla.

This trouble is usually caused by an accumulation of hardened fæces, or by hard bodies, such as cherry stones, grapeseed, etc.

Copious warm water injections by rectum, clear out fæces and enlargement vanishes.

See appendicitis, No. 301.

—No. 206—

Gout.—Garrod.

- R Ext. Colchici.....4 grains
 Ext. Rhei.....4 grains
 Ext. Aloes Soc.....4 grains
 Ext. Belladonna.....2 grains

M. For 10 pills. One at bed-time twice a week.

—No. 207—

Diseased Liver.—H. Atla.

If pain is constant and severe, mush poultices, hot as can be borne, should be constantly applied over seat of pain. Should be two; one to heat while the other is applied. Poultices should be renewed every five or ten minutes, and use No. 180 freely.

—No. 208—

Rheumatism.—Post Graduate.

- ℞ Acid Salicylic.....3 drachms
 Sodium Bicarb.....2 drachms

- Kali Iodide.....3 drachms
 Elix. Gaultheria.....1 ounce
 Glycerin.....2 drachms
 Aquæ, to make.....4 ounces

M. Sig.—Two teaspoonfuls at once, then one teaspoonful every hour until ringing in the ears, softened pulse and profuse sweating.

—No. 209—

Acute Rheumatism.—Med. Journ.

- ℞ Sodium Salicylic.....1½ drachms
 Potass. Acetate.....1 drachm
 Tinct. Nux Vomica.....2 drachms
 Tinct. Digitalis.....2 drachms
 Aq. Ment. Pip½ ounce
 Tinct. Cinchona Comp., to make 4 ounces

M. Sig.—One teaspoonful every four hours.

—No. 210—

Rheumatism of Joints.—H. Atla.

- ℞ Potass. Iodid.....1¼ drachms
 Sodii Salicylate.....3 drachms
 Syr. Aurant. Cort.....10 ounces

M. Sig.—One to 2 tablespoonfuls 3 or 4 times daily.

Another.—Eshner.

- ℞ Sodium Salicylate.....1½ drachms
 Sodium Phosphate.....1 drachm
 Sodium Bicarbonate.....1 drachm
 Aq. Ment. Viride.....4 ounces

M. Sig.—One tablespoonful every four hours.

—No. 211—

Acute Rheumatism Around Heart.—Vogler.

- ℞ Potass. Bromide.....3 drachms
 Sodium Salicylate.....3 drachms
 Tinct. Colch. Rad.....1 drachm
 Tinct. Aconite.....6 drops
 Aq. Ment. Pip.....6 ounces

M. Sig.—A dessertspoonful every six hours.

—No. 212—

Muscular Rheumatism.—Medical Standard.

- ℞ Sodium Salicylate.....2 drachms
 Potass. Acetate.....2 drachms
 Glycerin.....2 ounces
 Aquæ Dest., to make.....4 ounces

M. Sig.—One teaspoonful in one-half tumbler of water or milk every two hours.

—No. 213—

Lumbago.—H. Atla.

The following will give instant relief.

- ℞ Collodion2 drachms
 Tinct. Iodine.....2 drachms
 Aquæ Ammonia.....2 drachms

M. Sig.—To be painted widely over the affected region with a camel's hair brush.

Another.—Hollister

- ℞ Iodide of Potass.....2 drachms
 Bromide of Potass.....2 drachms
 Tinct. of Colchicum Seeds fl.....1½ ounces
 Syr. of Orange Peel fl.....2 ounces
 Aquæ, to make.....6 ounces

M. Sig.—One teaspoonful 3 or 4 times daily, or increased up to causing loose movement of bowels.

SYMPTOMS OF DISEASE.




Fig. 5.

- 45 Stomach trouble. Use recipe 158.
 46, 47, 48 and 49. See Fig. 3, on page 12.
 50 Reflex pain, womb trouble. For the pain use 313, and for womb 180, 359 and 370.
 51 Intestinal trouble. Use 199.
 52 Stomach and Intestinal trouble, 150, 358.
 53 Womb trouble. For treatment, use 378.
 54 Spasms of ureters. Use recipe 179.
 55 56 Diseased womb. Use 180, 359, 370.
 57 Reflex pain of injured hip-joint. Use 198.

—No. 214—

Liniment for Rheumatism.—Dunlison.

- ℞ Tinct. Camphor.....1 ½ drachms
 Tinct. Opii.....1 ½ drachms
 Spir. Ammonia.....1 ½ drachms
 Oil Olive.....1 ounce
 M. Sig.—Apply to joints morning and evening.

—No. 215—

Constipation Due to Diseased Rectum.—A.

Cathartics taken for constipation due to contractions of ani muscles, will do no good, but may permanently injure the health. Although the cause of this form of consti-

pation may not be suspected, it is due to some form of rectal disease.

Remedy.—Have the rectum dilated every alternate day for several weeks, or until cured. This will cause an easy movement of the bowels, and also heal the rectal trouble.

—No. 216—

Ointment for Pain and Spasms of Sphincter Ani. (In Anal Fissure.)—Adler.

- ℞ Extract Conii.....2 drachms
 Oil Ricini fl.....3 drachms
 Ungt. Lanolini, to make.....2 ounces
 M. Sig.—A small quantity of this to be smeared over the parts five minutes before a passage, and again after it has occurred.

—No. 217—

Sciatica.—California Doctor.

If a lady of weak, nervous temperament use:

- ℞ Oil Tiglii.....1 drop
 Pulv. Lycopodii q. s. for 2 capsules.
 Sig.—Take one at 8 A. M. and the other at 2 P. M.

If a strong robust man, increase oil of tig-
 lii to two drops, and take as above directed.

If the case is one of true sciatica, the relief will be complete in 24 hours. If it is rheumatic sciatic, it will be relieved but not cured. In this event, begin taking 218 at once.

—No. 218—

Rheumatic Sciatic.—H. Atla.

- ℞ Balsam Copaibæ.....4 drachms
 Tinct. Lavender Comp.....4 drachms
 Tinct. Hyosc.....3 drachms
 Potass. Bicarb.....1 drachm
 Mucilage Acaciæ.....1 ounce
 Aquæ Dest.....6 ounces
 M. Sig.—Take one teaspoonful every four hours.

—No. 219—

Liniment for Sprains, Bruises, etc.—H. A.

- ℞ Oil of Origanum.....½ ounce
 Oil of Cloves.....½ ounce
 Gum Camphor.....½ ounce
 Tinct. Cayenne.....½ ounce
 Aquæ Ammonia.....2 ounces
 Alcohol.....8 ounces
 M. Sig.—Apply to affected parts as needed.

Another.—Armstrong.

Equal parts of oil organium, spirits ammonia and sweet oil. Mix and apply.

—No. 220—

Rhinitis (Inflammation of Nose.)—Medico-Chiru.

- ℞ Quinine Sulph.....2 ½ grains
 Extract Belladonna fl.....2 minims
 Camphor.....2 ½ grains
 Sodii Salicylate.....30 grains
 M. For 10 tablets. Take one every 1 or 2 hours.

—No. 221—

Ointment for Nasal Catarrh.—H. Atla.

- ℞ Acid Boracic.....1½ drachms
- Acid Salicylic.....2 grains
- Acid Carbolic.....5 drops
- Vaseline.....1 ounce
- Bergamot.....10 drops

M. Sig.—Apply to nostrils, well back and up, with a cotton-wrapped probe or stick, once daily.

—No. 222—

Catarrh.—Bartholow.

For acute nasal, pharynx and bronchial catarrh. To be taken internally.

- ℞ Antimon. et Pot. Tart.....¼ grain
- Morphine Acet.....¼ grain
- Aquæ Dest.....2 ounces

M. Sig.—One teaspoonful every one or two hours.

—No. 223—

Catarrhal Jaundice.—Bartholow.

- ℞ Ammonia Iodide.....1 drachm
- Liq. Potass. Arsenits.....½ drachm
- Tinct. Calumbæ.....4 drachms
- Aquæ Dest.....1½ ounces

M. Sig.—Take one teaspoonful before each meal.

—No. 224—

Catarrhal Fever.—Heinzelmann.

- ℞ Antifebrin.....1 drachm
- Spts. Vini Gal. fl.....½ ounce
- Elixir Simp., to make.....2 ounces

M. Sig.—One teaspoonful every four hours.

—No. 225—

Lupus (Eating Ulcer)—Unna, of Hamberg.

- ℞ Acid Salicylic.....15 grains
- Liq. Antim. Chlor.....15 grains
- Creosote.....½ drachm
- Extract Cannabis Indica.....½ drachm
- Adeps Lanæ.....2 drachms

M. Sig.—To be applied to ulcer several times daily.

—No. 226—

Varicose Veins.—H. Atla.

- ℞ Barii Chloride.....15 grains
- Aquæ Dest., q. s.
- Lanoline.....2 drachms
- Oil Amygdalæ.....1 drachm

Dissolve barium in water, then add fatty mixture. Sig.—Rub it on the dilated veins 3 times daily.

—No. 227—

Varicose Ulcers.—Schwarz.

- ℞ Pulv. Iodoform.....1 drachm
- Pulv. Salol.....1 drachm
- Pulv. Charcoal.....1 drachm

- Pulv. Cinchona.....1 drachm
- Pulv. Benzoin.....1 drachm
- Bismuth Sub-Nit.....1 drachm

M. Sig.—To be dusted on the ulcer once daily.

—No. 228—

Grippe.—British and Colonial Druggist.

- ℞ Sodium Salicylate.....1½ drachms
- Liq. Ammon. Acet.....2 ounces
- Aquæ Camphor, to make.....6 ounces

M. Sig.—One tablespoonful every 3 or 4 hours.

If this be taken every 3 or 4 hours when the first symptoms come on, it will ward off an attack.

—No. 229—

To Prevent Grippe.—McGirk.

Two or three 5 drop doses of fluid ext. gelsemium, repeated at intervals of two hours, when the first symptoms come on, will give instant relief.

—No. 230—

Elixir for Grippe Cough.—McGirk.

The distressing cough, sense of pain and oppression in lungs and throat, is soon relieved by a mustard draft on the chest, and by taking the following elixir:

- ℞ Ammo. Muriate, c. p.....3 drachms
- Morphia Sulph.....3 grains
- Spir. of Chloroform.....1 drachm
- Tinct. Scillæ.....1 drachm
- Syr. Senega.....1 drachm
- Syr. Rock Candy, to make.....4 ounces

M. Sig.—Teaspoonful in water every 3 or 4 hours.

—No. 231—

Grippe.—Weaver.

Acetanilid in 3 to 5 grain doses, taken at intervals of 3 to 4 hours, will control the fever, and sodium salicylate in 5 to 7 grain doses, taken 3 times daily, in ¼ tumbler of water, will control the pain in grip.

—No. 232—

Yellow Jaundice.—H. Atla.

- ℞ Hydrarg. Chlo. Mit.....4 grains
- Pulv. Rhubarb.....3 grains
- Resin Poodophyllin.....¼ grain
- Sodium Bicarb.....8 grains

M. For 4 powders. Sig.—One powder every four hours, the last one at bed-time.

Follow these with

- ℞ Extract Podophyllin, fl.....1½ drachms
- Tinct. Cinchona Comp. q. s. ad...4 ounces

M. Sig.—Teaspoonful three times a day. If the bowels move too freely, lessen the dose.

—No. 233—

External Piles.—Hesencamp.

- ℞ Cocaine Hydrochloric.....4 grains
 Morph. Sulph.....10 grains
 Resorcin.....15 grains
 Hydrarg. Chlo. Mit.....½ drachm
 Petrolati.....1 ounce
 M. Ointment. Sig.—Apply 3 or 4 times daily.

—No. 234—

Internal Piles.—Hesencamp.

- ℞ Cocaine Hydrochlor.....2 grains
 Pulv. Opii.....4 grains
 Resorcini.....6 grains
 Acid Tanic.....12 grains
 Iodole.....1 drachm
 Oil Theobrom., q. s.
 M. For 12 suppositories. Sig.—One to be passed into the rectum every four hours.

—No. 235—

External Piles.—Ferrera.

- ℞ Gallic Acid.....1 drachm
 Ext. Hamamelis fl.....2 drachms
 Tinct. Benzoin Comp.....2 drachms
 Tinct. Belladonna.....1 drachm
 Olive Oil (Carbol. 5 p. c.).....1 drachm
 M. Sig.—Anoint with brush three times a day.

—No. 236—

Piles with Pain.—Sawyer.

- ℞ Morphine Sulph.....6 grains
 Cocaine Muriate.....12 grains
 Hydrarg. Chlo. Mitis.....40 grains
 Vaseline.....1 ounce
 M. Sig.—Apply locally night and morning.

—No. 237—

Itching Piles.—Sawyer.

- ℞ Menthol.....½ drachm
 Vaseline.....1 ounce
 M. Sig.—Anoint itching parts night and morning.

—No. 238—

Bleeding Piles.—H. Atla.

- ℞ Ext. Belladonna.....15 grains
 Iodoform.....3 grains
 Acetate of Lead.....3 grains
 Vaseline.....½ drachm
 M. Sig.—Fill a small wad of cotton with the ointment and pass it into the rectum, 3 or 4 times daily.

—No. 239—

Chronic Affection of Joints.—Simon, M. D.

- ℞ Iodide of Potass.....4 parts
 Ext. Conium.....4 parts
 Glycerole of Starch.....30 parts
 M. Sig.—Rub well into joints, several times daily.

—No. 240—

Skin Disease.—Dobell.

- ℞ Calcis Sulpho-Carbol.....1 drachm
 Liq. Pot. Arsenitis.....18 minims
 Tinct. Auranti.....6 drachms
 Aquæ, to make.....6 ounces
 M. Sig.—Teaspoonful before breakfast and dinner.

—No. 241—

Chronic Eczema.—Walsh.

- ℞ Creolin.....½ drachm
 Hydrarg. Ammoniat.....10 grains
 Vaseline.....1 ounce
 M. Sig.—Rub well in dried patches twice daily.

—No. 242—

Red Eczema.—Stelwagon.

- ℞ Salicylic Acid.....10 grains
 Powd. Starch.....2 drachms
 Petrolatum.....½ ounce
 M. Use as a paste on the diseased parts and cover with a cloth and light bandage, once or twice daily.

—No. 243—

Eczema with Crusts.—La Settimana Medica.

- ℞ Precipitated Sulphur.....4 drachms
 Wax.....5 drachms
 Hydrated Wool-Fat.....5 drachms
 Olive Oil.....5 drachms
 M. Sig.—Apply three or four times a day.

—No. 244—

Eczema of Hands.—Edlefsen.

Pure Iodine 0.1, iodide of potassium 0.15, glycerin 12.00. Mix and paint the hands every evening and wrap them in lint. The irritation is relieved, and in fourteen days the disease is generally cured. In obstinate cases, apply boracic ointment in the morning and paint with the iodine in the evening.

—No. 245—

Eczema of Eyelids.—Laiiler.

Crystal acetic acid 2 parts, glycerin 50 parts, cherry-laurel water dest. 200 parts. Mix. Carefully apply to eyelids once daily.

—No. 246—

Eczema of Anus and Scrotum.—Med. Mon.

- ℞ Oil Lini.....8 parts
 Aquæ Calcis.....8 parts
 Zinc Oxide.....8 parts
 Iodoform.....4 parts
 M. Sig.—Apply twice daily, and keep the bowels well regulated.

—No. 247—

Eczema.—W. Marshall Craig.

- ℞ Hydrarg. Oxidi Flava.....20 grains
Lanolin.....1 ounce
M. Sig.—Anoint the parts every night. This has cured stubborn cases after all other remedies failed.

—No. 248—

Tetter.—Shoemaker.

- ℞ Tinct. Saponis Viridis fl.....1½ ounces
Aquæ.....1½ ounces
M. Sig.—Put teaspoonful on sores and rub well till lather is formed; rinse off; then apply the following:
℞ Menthol.....3 grains
Acid Carbolic.....5 drops
Ungt. Hydrarg. Nit.....1 ounce
Adipis.....½ ounce
M. Ointment. Sig.—Use once daily. Take internally five drop doses of syrup acidi hydriodici, after meals, and increase to fifteen drops daily.

—No. 249—

Burns.—Gomez de la Mata.

- ℞ Iodoform.....80 parts
Ext. of Conium.....40 parts
Acid Carbolic.....1 part
Ointment Rose.....600 parts
M. Sig.—Apply to burn and cover with linen.

—No. 250—

Healing Ointment.—Little Gem.

Antiseptic and healing, sticking plaster for dressing wounds; old sores, abrasions, etc.

- ℞ Zinci Oxidi.....5 grains
Zinci Chloridi.....20 grains
Gelatinæ.....5 drachms
Listerine.....7½ drachms
M. Sig.—Spread on cloth and lay it over the sore.

—No. 251—

Soothing Ointment. (For Painful Sores)—Clin.

- ℞ Benzoinated Lard.....40 parts
Laudanum.....5 parts
Chloroform.....5 parts
Ext. Belladonna.....2 parts
Ext. Cicuta.....1 part
M. Sig.—Anoint the sores.

—No. 252—

Warts.—Morrison.

- ℞ Hydrarg. Bichlor.....5 grains
Acid Salicylic.....1 drachm
Colodion.....1 ounce
M. Sig.—Apply once a day, the crust of the previous application being removed before a fresh one is made. After a few days' treatment the wart is painlessly removed by gentle traction.

—No. 253—

Inflamed Glands.—Keen.

- ℞ Ichthyol.....20 grains
Ungt. Hydrarg.....20 grains
Ungt. Belladonna.....20 grains
Ungt. Petaolei.....6 drachms
M. Sig.—Anoint glands at night and at morning.

—No. 254—

Corns.—Hebra.

- ℞ Acid Salicylic.....15 grains
Ext. Cannabis Indica.....8 grains
Alcoholis.....14 minims
Ætheris.....40 minims
Collodii Ext. fl.....75 minims
M. Sig.—Paint the corn thrice daily for one week; then soak the foot in hot water and pick out corn.

—No. 255—

Boils.—Bertram.

- ℞ Muriate of Lime.....2 ounces
Aq. Camphor.....4 ounces
Tinct. Myrrh.....2 drachms
Creosote.....1 scruple
Glycerin.....1 ounce
M. Sig.—Apply constantly in the form of wet cloths. This will remove the most excruciating pain in from three to four hours, and will make any medical treatment unnecessary for eight or ten days.

—No. 256—

Felons.—Hinton.

Dip the finger in carbolic acid, and after waiting half an hour to lancing, the cutting will be almost painless.

Before the formation of pus, felons may be cured in every case by keeping the finger wrapped with lint soaked in tinct. lobelia, constantly applied. In less than six hours all throbbing ceases and pain is gone.

If pus is formed, prepare a poultice from equal parts of powdered soap and sodium anhydrous chloride, and enough balsam of fir to make a mass. Then apply twice daily for three days, when it will have made a hole to the bone, and the "core" is then easily taken out.

—No. 257—

Herpes Zoster (Shingles.)—Shoemaker.

- ℞ Ferri Pyrophosphatis.....30 grains
Acid Arseniosi.....1 grain
Quininæ Sulphatis.....30 grains
M. For 30 pills. Sig.—Take one three times daily.
For local treatment, use the following:
℞ Ungt. Hydrarg.....½ ounce
Ungt. Aquæ Rose.....½ ounce
M. Make an ointment. Sig.—Apply twice daily.

—No. 258—

Fever Mixture.—Love.

- ℞ Antifebrin.....2 scruples
 Alcohol.....2 drachms
 Glycerin.....3 drachms
 Aquæ Cinnamom.....1 ounce
 Syrup Simpl.....3 drachms
- M. Sig.—One to two teaspoonfuls every two to four hours, according to necessities.

—No. 259—

Laxative.—Emmett.

- ℞ Fellis Bovinus Insp.....80 grains
 Quinia Sulph.....40 grains
 Extract Colocynth.....20 grains
 Nucis Vomica.....10 grains
 Extract Taraxicum q. s. for pill mass.
- M. For 40 pills. Sig.—Take one before each meal.

—No. 260—

Hæmaturia (Bloody Urine.)—Draper.

- ℞ Tinct. Nucis Vomica.....15 minims
 Tinct. Iodi.....15 minims
 Tinct. Hyoseyami.....1 drachm
 Extract Buchu fl.....1 ounce
 Sodii Sulph. Sat. Sol.....2 ounces
- M. Sig.—One teaspoonful every two hours.

—No. 261—

Seat Worms.—Penn. Med. Jour.

- ℞ Acid Salicylic.....15 grains
 Sodium Boratis.....15 grains
 Aquæ.....1 pint
- M. Sig.—Warm and inject the whole into bowel.

—No. 262—

Ringworm.—Squire.

- ℞ Thymol.....1 drachm
 Adip. Prepar.....1 ounce
- M. Ointment. Sig.—Apply frequently.

—No. 263—

Ringworm of Scalp.—Unna's Clinic.

- ℞ Chrysarobin.....5 parts
 Acid Salicylic.....2 parts
 Ichthyol.....5 parts
 Vaseline.....88 parts
- M. Sig.—Apply twice daily, and if much irritation results, use the following until it subsides, then use the first as before.
- ℞ Zinc Oxide.....6 parts
 Sulph. Precip.....4 parts
 Lard.....20 parts
- M. Sig.—Use two or three times daily.

—No. 264—

Asthma.—Pepper.

- ℞ Ammo. Bromide.....2 drachms
 Ammo. Chloride.....1 ½ drachms
 Tinct. Lobelia.....3 drachms
 Spir. Æther Com.....1 ounce
 Syrup Acacia, to make.....4 ounces
- M. Sig.—Dessertspoonful every one or two hours, in water.

—No. 265—

Asthma.—Jackson, Prof. of Physicians and Surg.

- ℞ Pulv. Potass. Nitrate.....4 drachms
 Pulv. Stramonium.....75 grains
 Pulv. Lobelia.....90 grains
 Pulv. Belladonna.....45 grains
 Pulv. Grindelia.....90 grains
 Pulv. Hydrastis Canadensis.....15 grains

Make one package. Sig.—Burn one heaping teaspoonful in small closed room. Inhale for a period of ten or twenty minutes, or until relieved.

—No. 266—

Cramps.—H. Atla.

Take a good, strong cord, wind it around the leg where it is cramped, and taking an end in each hand, give it a sharp pull, strong enough to produce some pain. No more pain need be feared that night.

—No. 267—

Chapped Hands.—Steffen.

- ℞ Menthol.....22 grains
 Salol.....½ drachm
 Oil Olive.....½ drachm
 Lanoline.....1 ½ ounces
- M. Sig.—Apply to the hands twice daily. Pain disappears, skin softens and fissures heal rapidly.

—No. 268—

Pediculi Pubis (Crab-Lice.)—Benvenuti.

Flor. delphinii 3 parts, acetic 100 parts.
 Two washings of the affected parts with the above will remove all lice and their nits.

—No. 269—

Gout.—Loomis.

- ℞ Ext. Colchici Acetic.....10 grains
 Ext. Aloes.....10 grains
 Pulv. Ipecac.....10 grains
 Hydrarg. Chlo. Mit.....10 grains
 Ext. Nucis Vom.....20 grains
- M. For 40 pills. Sig.—One every four hours until it purges. Taken in time will often abort an attack.

—No. 270—

Erysipelas.—Hill.

- ℞ Tinct. Aconite.....½ drachm
- Ext. Gelsemium fl.....2 drachms
- Chloroform.....½ drachm
- Aquæ Ammonia.....½ drachm
- Ext. Belladonna fl.....½ drachm
- Tinct. Saponis Comp.....½ ounce

M. Sig.—Apply with a camel's hair brush three or four times a day.

—No. 271—

To Abort Erysipelas.—Labit.

A ten per cent solution of iodol in colodion, thoroughly applied, and extended for an inch over the healthy skin, will frequently subdue all symptoms in 24 hours.

—No. 272—

Pneumonia.—Bowen, Author, *Materia Medica.*

- ℞ Ammon. Iodide.....2 drachms
- Spir. Ammon. Aromat.....2 drachms
- Elixir Simp.....1 ounce
- Aquæ, to make.....8 ounces

M. Sig.—Two tablespoonfuls three times a day.

—No. 273—

Chronic Pneumonia.—Da Costa.

- ℞ Liq. Potass. Arsenitis.....½ drachm
- Ammon. Iodid.....2 drachms
- Tinct. Cinchona Comp.....3 ounces

M. Sig.—One teaspoonful three times a day.

Small blisters ought to be frequently applied along with the above.

—No. 274—

Early Stages of Pneumonia and Pleurisy.—Miegs and Pepper.

- ℞ Tinct. Aconite Rad.....16 minims
- Morphia Acet.....2 grains
- Liq. Ammo. Acet.....4 ounces

M. Sig.—Teaspoonful every two or three hours.

—No. 275—

Pleurisy.—H. Atla.

Pleurisy is successfully treated with salicylic preparations. Salicylate of sodium, in 5½ to 10 grain doses every two hours, is the treatment generally used.

—No. 276—

Hoarseness. (A Specific.)—H. Atla.

- ℞ Nitric Acid (c. p.).....4 drops
- Listerine.....1 ounce
- Aquæ.....3 ounces

M. Sig.—Use frequently by spray or as a gargle.

—No. 277—

Hay Fever.—Wells.

- ℞ Zinc Phosphide.....2 grains
- Quinine Sulph.....64 grains
- Ext. Belladonna.....4 grains

M. For 32 pills. Sig.—One pill before each meal.

—No. 278—

Styes.—Abadil.

- ℞ Acid Boracic.....10 parts
- Ext. Witch Hazel, (genuine).....10 parts
- Aquæ Dest.....300 parts

M. Dissolve. Sig.—Soak cotton in this solution and drop some on the styte several times daily.

—No. 279—

Dropsy, Pain in Region of Kidneys.—H. A.

- ℞ Tinct. Iron Muriate.....1 ounce
- Acid Acetic.....2 drachms
- Solution Acetate Ammo.....6 ounces

M. Sig.—One teaspoonful three times daily.

—No. 280—

Dropsy, Feeble Heart Action.—Stephens.

- ℞ Potass. Acetas.....4 drachms
- Tinct. Digitalis.....2 drachms
- Aquæ Pura, to make.....3 ounces

M. Sig.—Teaspoonful from 3 to 4 times in 24 hours well diluted with sweetened water.

—No. 281—

Earache.—Medical Brief.

- ℞ Chloral Camphorated.....5 parts
- Glycerin.....30 parts
- Oil of Sweet Almonds.....10 parts

M. Sig.—Saturate a wad of cotton and pass it well into the ear, and it is also rubbed in behind the ear.

—No. 282—

Acute Inflammation of the Ear.—Amick

- ℞ Sodii Biborate.....½ grain
- Sodii Bicarb.....½ grain
- Amyl.....½ grain
- Pulv. Acacia.....4 grains
- Nosophen, to make.....1 drachm

M. Sig.—Cleanse the ear thoroughly, then blow some of the powder in the ear.

—No. 283—

Discharge from Ear with Deafness.—Remley.

- ℞ Oil Verbasci (Mullein).....½ drachm
- Pulv. Acid Boric.....½ drachm
- Pilocarpin Muriate.....4 grains
- Glycerin.....1 drachm

M. Sig.—One drop in the ear three times daily. Syringe out the ear each morning with warm water in which a little common soda has been added.

—No. 284—

Scalds and Burns.—Bartholow.

- ℞ Acid Salicylic.....1 drachm
 Oil Olive.....8 ounces
 M. Sig.—Apply to scald and cover with linen.

—No. 285—

Galling and Chafing.—H. Atla.

- ℞ Acid Boracic.....1 part
 Alboline20 parts
 Lanoline.....100 parts
 Make a pomade. Wash, dry, then apply pomade.

—No. 286—

Painless Blister.—Med. Rec.

- ℞ Mentholis.....10 grains
 Chloralis.....10 grains
 Oil Theobrom.....½ ounce
 Spermaceti.....1 drachm
 M. Sig.—Spread cloth and apply.

Mustard mixed with white of egg will not blister the most delicate skin.—Armstrong.

—No. 287—

Inflammation of Testicles.—Vail.

- ℞ Hydrarg. Oleat.....1½ drachms
 Morphine Sulph.....4 grains
 Oil Gaultheria.....1 drachm
 Oil Olive, to make.....4 ounces
 M. Liniment. Sig.—Apply after bathing in hot water, night and morning, and wrap testicles in flannel and have them suspend.d.

—No. 288—

Diabetes.—Viger.

- ℞ Lithii Carbonat.....37½ grains
 Sodium Arseniat.....1 grain
 Ext. Gentiana.....18¾ grains
 M. For 25 pills. Sig.—Take one morning and evening until sugar in urine disappears.

—No. 289—

Inflammation of Kidneys.—Immerwahr.

- ℞ Tinct. Grindelia Robust.....3 drachms
 Tinct. Convallaria.....1 drachm
 Tinct. Scilla.....½ drachm
 M. Sig.—Take fifteen drops three times daily.

—No. 290—

Chronic Inflammation of Kidneys.—Lemoin.

- ℞ Lithii Benzoat.....2½ drachms
 Betol.....80 grains
 Soda Bicarb.....1 drachm
 M. For 20 powders. Sig.—One powder twice daily between meals.

—No. 291—

Gonorrhœa in Women.—Thomas.

- ℞ Zinc Sulph (Vel Sulphocarb.).....½ ounce
 Alum Sulph.....½ ounce
 Cupri Sulph.....1 drachm
 Ferri Sulph.....1 drachm
 M. Sig.—One teaspoonful to a pint of warm water to be injected into vagina three times daily.

—No. 292—

To Prevent Gonorrhœa in Women.—Ravogli.

A wad of cotton soaked in equal parts of ichthyol and glycerin passed well up in the vagina thrice daily, will abort an acute attack, and one or two applications, if suspicious, will prevent gonorrhœa.

—No. 293—

First Stages of Gonorrhœa in Men.—Cox.

Wash out the urethra with hot water after urinating, and immediately use the following injection:

- ℞ Antifebrin.....5 grains
 Bismuth Sub-Nit.....5 grains
 Aquæ Font.....1 ounce

M. Sig.—Inject one teaspoonful four times a day.

—No. 294—

Specific for Gleet.—Makwith.

- ℞ Pyrodine, (E. Merk's.).....1 drachm
 Aquæ Dest., to make.....4 ounces
 M. Sig.—Inject three or four times daily.

—No. 295—

Epilepsy.—Folsom, Dijond.

- ℞ Pulv. Sodii Borat.....1 drachm
 Syr. Aurant. Cort.....1 ounce
 Aquæ Dest., to make.....4 ounces
 M. Sig.—One tablespoonful three times a day.

—No. 296—

Black-Heads and Pimples.—H. Atla.

- ℞ Oxide of Zinc.....1 drachm
 Resorsin.....1 drachm
 Starch.....1 drachm
 Vaseline.....2½ drachms
 M. Sig.—Apply a thin coating at night and rub off with sweet oil in the morning.

—No. 297—

Chilblains.—McBride.

- ℞ Lin. Belladonna (Br. Ph.).....2 drachms
 Lin. Aconite (Br. Ph.).....1 drachm
 Acid Carbol.....6 minims
 Collodii Flex., to make.....1 ounce
 M. Apply with camel's hair pencil every night.

—No. 298—

Appendicitis.—Romme.

Dr. Romme's treatment for appendicitis at the "Bethnien" Hospital of Berlin, is absolute quietude and rest. The local treatment is hot cloths over seat of pain.

See inflammation of sæcum, No. 205.

—No. 299—

Alcoholism.—Gerhard.

For women to give drunken husbands to cure them of the drinking habit.

- ℞ Tinct. Capsici.....½ ounce
- Tinct. Zingiber.....½ ounce
- Tinct. Valerinae Ammon..... ½ ounce
- Tinct. Gentian Comp.....½ ounce

M. Sig.—One dessertspoonful in a cup of hot tea or coffee at each meal. Then smile, but say nothing.

—No. 300—

Tape Worm.—W. Marshall Craig.

Put two ounces of pomegranate bark in one quart of water and boil it down to one pint. Then divide the same into four doses and take one dose every hour, beginning four hours before meal time, and after the last dose, a mild cathartic. Go to stool over a bucketful of water so the worm will not be broken. If you have a tape worm, this remedy will remove it.

—No. 301—

Bright's Disease.—Merk's Archives.

- ℞ Copaiba Resin.....160 grains
- Diluted Alcohol.....240 minims
- Spir. of Chloroform.....160 minims
- Syrup of Ginger.....640 minims
- Mucilage of Acacia.....1,240 minims
- Aquæ, to make.....16 ounces

M. Sig.—Tablespoonful three or four times daily.

—No. 302—

Malarial Fever.—Hebershon.

- ℞ Sodæ Arseniat.....2 grains
- Ext. Columba.....64 grains

M. For 30 pills. Sig.—One twice daily, after meals.

—No. 303—

Intermittent Fever.—Bacelli.

- ℞ Quinine Sulph.....gram. 4.
- Ferri et Potass Tartrat.....gram. 10.
- Acid Arsenosi.....ctgram. 0.10.
- Aquæ Dest.....gram. 300.

M. Sig.—The day following the fever a teaspoon-

ful every hour, afterwards every three hours.

—No. 304—

Remittent Fever.—Bartholow.

- ℞ Acid Carbol.....½ drachm
- Tinct. Iodine.....1½ drachms
- Aquæ Dest., to make.....4 ounces

M. Sig.—Teaspoonful every four hours, in water.

—No. 305—

Relapsing Fever.—Da Costa.

- ℞ Quinine Sulph.....4 scruples
- Acid Sulphuric Dil., q. s. to dissolve.
- Spir. Æther Nitro.....½ ounce
- Syrup Tolu,
- Aquæ, aa, to make.....2 ounces

M. Sig.—Teaspoonful three or four times daily.

—No. 306—

Typhoid Fever.—Da Costa.

- ℞ Eucalyptol.....3 drachms
- Mucil. Acacia.....2 ounces
- Saccharine.....3 grains
- Sodii Bicarb.....6 grains
- Aquæ, to make.....3½ ounces

M. Sig.—One teaspoonful every three hours.

—No. 307—

Delirium of Typhoid Fever.—Davis.

- ℞ Strychnia.....1 grain
- Acid Nitric.....1 drachm
- Tinct. Opii.....4 drachms
- Aquæ Dest.....3½ ounces

M. Sig.—A teaspoonful in sweetened water every 2, 3, or 4 hours, according to the urgency of the symptoms.

—No. 308—

Diarrhœa of Typhoid.—Bartholow.

- ℞ Argent. Nit.....3 grains
- Pulv. Opii.....3 grains
- Pulv. Ipecac.....3 grains

M. For 12 pills. Sig.—One every 4 to 6 hours.

—No. 309—

Intestinal Hemorrhage of Typhoid.—Murch.

- ℞ Acid Tannic.....40 grains
- Tinct. Opii.....40 minims
- Spir. Terebinth.....1 drachm
- Mucil. Acacia.....1 ounce
- Tinct. Chloroform.....1½ drachms
- Aq. Ment. Pip., to make.....4 ounces

M. Sig.—One small tablespoonful at a dose, and repeat in 6 or 8 hours, or as occasion may require.

—No. 310—

Facial Neuralgia.—Hirschkron.

- ℞ Ext. Cannabis Indica.....7½ grains
 Acid Salicylic.....76 grains
 M. For 10 powders. Sig.—One powder 3 times daily.

Eulenberg applies locally, the following:

- ℞ Ichthyol.....26¼ grains
 Mercurial Ointment.....26¼ grains
 Chloroform2½ drachms
 Spir. Camphor.....2½ drachms
 M. Sig.—Apply to the face several times daily.

—No. 311—

Ocular (Eye) Neuralgia—Dr. Fox.

- ℞ Morphine Sulph.....4 grains
 Chloral.....10 grains
 Cocaine.....20 grains
 Menthol.....30 grains
 Lanolin1 ounce
 M. Sig.—Apply a piece the size of a hazlenut to the temple and over the brow every hour.

—No. 312—

Supra-Orbital Neuralgia (Over Eyes.)—Peters.

- ℞ Ergot.....16 grains
 Quinine Mur.....32 grains
 Ferri Sulph.....80 grains
 Ext. Gentian q. s.
 M. For 100 pills. Sig.—Two pills 3 times daily.

—No. 313—

Intercostal Neuralgia (Between Ribs.)—Solis.

- ℞ Chloral.....½ drachm
 Camphor½ drachm
 Menthol½ drachm
 M. Sig.—Apply with brush, several times daily.

—No. 314—

Neuralgia.—Leslie.

Dr. George Leslie reports to the Edinburgh Medico-Chirurgical Society, that finely pulverized salt, used as a snuff will give instant relief in all forms of neuralgia.

—No. 315—

Toothache.—Guild.

A mixture of flexible colodion and crystalized carbolic acid, equal parts, carried to bottom of cavity will give instant relief.

—No. 316—

Bleeding of Nose.—Hutchinson.

Plunging the hands and feet in water as

hot as can be borne, will, almost instantly, stop the most rebellious cases of nose-bleed.

—No. 317—

Tuberculosis.—Chronica Medica.

- ℞ Beachwood Creosote.....40 minims
 Naphthol.....1 drachm
 Iodine.....3 grains
 Cod Liver Oil fl.....8 ounces
 M. Sig.—Tablespoonful three times a day.

—No. 318—

Consumption.—D. W. Blair Stewart.

- ℞ Guaiacol Carbonatis.....15 grains
 Strychniæ Sulph1 grain
 Resinæ Capsici.....3 grains
 Ammonii Chloridi.....15 grains
 Quininæ Bisulphatis.....15 grains
 M. For 30 capsules. Sig.—One every four hours.

—No. 319—

Enlarged Prostate Gland.—Med. Mon.

- ℞ Potass. Iodide.....40 grains
 Ext. Hyoscyam.....100 grains
 Oil Theobrom, q. s.
 M. For 20 Suppositories. Pass one into rectum at night and one in the morning after stool, daily.

—No. 320—

Inflammation of Prostate.—Freudenberg.

- ℞ Ichthyol.....1 drachm
 Oil Theobrom.....4 drachms
 M. For 12 suppos. Sig.—Use as directed in 319.

—No. 321—

Inflammation of Eyelids.—H. Atla.

- ℞ Acidum Boricum.....20 grains
 Aquæ Pura.....1 ounce
 M. Sig.—Put a few drops in the eye 3 times daily.

—No. 322—

Itch.—H. Atla.

- ℞ Sulphur Flowers.....2 drachms
 Sulphate of Copper.....1 drachm
 Hyd. Oxide Rub.....½ drachm
 Vaseline.....2 ounces
 M. Sig.—Rub on twice a day for three days.

Wash all over with hot water containing two or three teaspoonfuls of soda, before using the ointment, and after the third day wash again with the same, and put on clean clothes. If afterwards there are any spots that itch apply the ointment as before.

—No. 323—

Insect Bites.—Bernbeck.

- ℞ Flexible Colodion.....2½ drachms
Salicylic Acid.....15 grains
M. Sig.—Apply to stop pain and prevent swelling.

—No. 324—

Indolent Ulcers of Leg.—Med. Rec.

- ℞ Sod. Chlorid..... ½ drachm
Menthol..... ½ drachm
M. Sig.—Apply after cleansing surface of ulcer.

—No. 325—

Ingrowing Toe Nails.—Smith.

- ℞ Salicylic Acid.....1 drachm
Petrolatum..... ½ ounce
M. Sig.—Paint the overgrowing flesh daily. Wash and remove dead tissue before applications are made.

—No. 326—

To Keep Hands White and Soft.—M. A.

- ℞ Oil Rose.....15 drops
Glycerin1 drachm
Spir. Myrciæ.....3 ounces
Oil Cajuput.....20 drops
M. Sig.—Apply at night before retiring.

—No. 327—

Gravel.—Jour. de Med. de Paris.

- ℞ Bicarbonate of Sodium.....90 grains
Benzoic Acid.....30 grains
Phosphate Sodium.....159 grains
Aquæ Bull.....375 grains
M. Dissolve, filter and add Distilled canella water 3,000 grains. Sig.—Two tablespoonfuls to be taken twice daily in old standing uric acid.

—No. 328—

Goitre (Big-neck.)—Chavette.

- ℞ Zinc Sulphate.....40 grains
Acid Salicylic.....40 grains
Iodoform40 grains
Acid Boracic.....3 drachms
Acid Oleic.....8 ounces

Mix and keep at a boiling heat for several hours, pour off the liquid, and bottle when cold.

Sig.—Apply to enlarged neck, with slight friction, twice daily until a slight rawness occurs, after which apply only once daily until the enlargement entirely disappears. It will not return again.

—No. 329—

General Antidote for Poison.—M. R. of R.

Borate of sodium mixed with milk is the best antidote after stomach has been emptied.

For vegetable poisons permanganate of potass. in one per cent solution. For carbolic

acid or ammonia poison, vinegar, internal or external.

—No. 330—

Difficult or Painful to Urinate.—Ritterband.

- ℞ Sodium Salicylic.....10.0.
Ext. Belladonna.....0.3.
Aquæ Dest.....185.0.
Tinct. Aurant. Cort.....4.0.
M. Sig.—Tablespoonful every two to three hours.

—No. 331—

Inability to Retain Urine.—Price.

- ℞ Tinct Belladonna.....2 drachms
Ext. Ergot fl.....4 drachms
Tinct. Nucis Vomica.....2 drachms
M. Sig.—Twenty drops four times daily.

—No. 332—

Coccydina (Pain in Muscles at Lower Extremity of Backbone.)—Whitla.

- ℞ Ext. Belladonna.....2 grains
Ext. Hyoseyamus.....2 grains
Iodoform2 grains
Cacao Butter.....160 grains
M. For eight suppositories. Sig.—One to be passed into the rectum every evening at bed-time.

—No. 333—

To Sweeten the Breath.—Prof. Palmer.

- ℞ Acid Salicylic.....5 grains
Sodi Bicarbonate.....5 grains
Sacchari.....5 grains
Spir. Vini Recti1 ounce
Spir. Menth Pip.....10 drops
M. Sig.—Teaspoonful in a small cupful of hot water as a mouth wash and gargle.

—No. 334—

To Remove Superfluous Hair.—N. E. M. M.

- ℞ Barii Sulph2 drachms
Zinci Oxidi.....2 drachms
M. Make a paste with water and apply three minutes, then wash off.

—No. 335—

Hair Renewer and Preservative.—Merk.

- ℞ Quinine Sulph.....20 grains
Tinct. Jaborandi..... ⅓ ounce
Cologne Aquæ..... ⅓ ounce
Glycerin..... ⅓ ounce
Bay Rum.....2 ounces
Aquæ Rose.....11 ounces

Dissolve the quinine in the rose water with the aid of twenty drops diluted sulphuric acid. Mix the tincture, cologne and bay rum, and add the rose water. Sig.—Rub well into the scalp once daily,

—No. 336—

Falling off of Hair.—Bartholow.

- ℞ Ext. Pilocarpi.....1 ounce
Tinct. Cantharidis.....½ ounce
Liniment Saponis, to make.....4 ounces
M. Sig.—Rub in the scalp once daily.

—No. 337—

Falling Hair from Sickness.—Brocq.

- ℞ Alcohol 60°.....1,200 grains
Camphorated Alcohol.....25 grains
Tinct. Cantharides.....25 grains
Glycerin.....25 grains
Oil Sandal-wood.....2½ drops
Oil Winter-green.....2½ drops
Pilocarpine Hydrochlor.....7½ grains
M. Sig.—Apply with slight friction, once daily.

—No. 338—

Bald Spots.—Balzer.

- ℞ Mercury Sub-Sulphate.....5 parts
Flours of Sulphur.....4 parts
Oil of Cade.....15 parts
Vaseline.....30 parts
M. Sig.—Apply to bald spots daily, at bed-time.

—No. 339—

Baldness.—Whitla.

Dr. Whitla says that one of the very best combinations for baldness is the following:

- ℞ Pilocarpine Hydrochlor.....5 grains
Otto Rose.....8 minims
Oil Rosmarini.....2 drachms
Linimenti Cantharidis.....2 drachms
Glycerin Puri.....1 ounce
Oil Amygdalæ Dulcis.....2 ounces
Spir. Camphoræ.....3 ounces
M. Sig.—Rub well into scalp night and morning.

—No. 340—

Baldness.—Balzer.

- ℞ Lactic Acid.....150 grains
Alcohol 60°.....1 ounce
M. Sig.—Apply with absorbent cotton, by friction, daily, until scalp becomes inflamed. Then suspend treatment for a few days, and resume when inflammation has subsided. He says that he has observed new growths of hair in the course of three weeks.

—No. 341—

Loss of Eyebrows.—Trousseau.

- ℞ Vaseline.....150 grains
Castor Oil.....60 grains
Gallic Acid.....15 grains
Oil of Lavender... ..8 drops
M. Sig.—To be applied to eyebrows twice daily.

—No. 342—

Barber's Itch.—N. E. Med. Mon.

- ℞ Acid Tanic.....45 grains

- Lact. Sulph.....1½ drachms
Zinc Oxid.....2 drachms
Amyl.....2 drachms
Vaseline.....1 ounce

M. Sig.—Apply to affected parts twice daily.

—No. 343—

Sea Foam for Shampooing.—Med. Mon.

- ℞ Tinct. Arnica.....1 drachm
Tinct. Cantharides.....2 drachms
Aquæ Ammonia.....3 drachms
Alcohol.....4 ounces
Soft Water.....4 ounces
M. Sig.—Use freely in cleansing the hair.

—No. 344—

Dandruff.—Harrison.

- ℞ Caustic Potash.....8 grains
Phenic Acid.....25 grains
Lanolin.....4 drachms
Cocanut Oil.....4 drachms
M. Sig.—Rub into the scalp morning and evening.

—No. 345—

Chilblains (Frost Bites)—Lassar.

- ℞ Acid Phen.....15½ grains
Ung. Plumbi.....5 drachms
Lanolin.....5 drachms
Oil Amygd.....2½ drachms
Oil Lavan.....20 drops
M. Make a salve. Sig.—Apply to chilblains.

—No. 346—

Impotence (Sexual Disability.)—Fallon.

- ℞ Tinct. Nucis Vomicae.....10 drops
Tinct. Iron Chloride.....2 drachms
Tinct. Phosphorus.....2 drachms
Tinct. Cantharid.....2 drachms
Aquæ Pura, to make.....4 ounces
M. Sig.—One teaspoonful three or four times daily.

—No. 347—

Milk Leg.—Smith.

- ℞ Ext. Belladonna fl.....1 drachm
Tinct. Opii.....1 ounce
Tinct. Iodine.....1 drachm
Oil Olivæ.....8 ounces
M. Apply hot as can be borne, then bandage.

—No. 348—

Ulcers.—Phil. Med. Jour.

- ℞ Bromol.....15 grains
Vaseline.....1 ounce
M. Sig.—Apply to ulcer several times daily.

—No. 349—

Chordee (Painful Erections.)—Neumann.

- ℞ Potass. Bromide.....10–20.
Ext. Cannab. Indica.....0,5–1.
M. For 10 powders. Sig.—One in water at bed-time.

—No. 350—

Seminal Emissions.—Prof. Mitchell.

Place a cantharidis plaster 4 by 4 inches on lower part of back, and take internally,

- ℞ Strychniæ Sulph.....1 grain
 Acid Phosph., Dil.....2 ounces
 M. Sig.—Twenty-five drops in water after meals.

—No. 351—

Cataract.—Med. Rec.

Succus cinerariæ maritinæ act in the absorption of cataract when dropped into the eye daily, two or three drops at a time. A medical editor of experience says of it, that in many instances the results are, "nothing short of miraculous."

—No. 352—

Tape-worm.—Dr. Drouke.

For one day live on reduced diet, and the next day take this:

- ℞ Honey.....5 drachms
 Ethereal Ext. Pomegranate....3¾ grains
 Ethereal Ext. Male Fern.....3¾ grains
 Kousoo Flowers.....5 drachms

M. Divide into three parts. Sig.—Take one every fifteen minutes, and one hour afterwards, one ounce of castor oil. Go to stool over a pail of water to avoid breaking the worm.

—No. 353—

Gall Stones.—W. Marshall Craig.

Queen of the meadow, well steeped, and used as a drink, excluding all other liquids, is an excellent remedy for gallstones. From ½ to a tumblerful can be taken at a time.

—No. 354—

Offensive Feet Sweating.—Encycloped. of M.

- ℞ Acid Boric.....5 drachms
 Tinct. Benzoin.....½ ounce
 Alcohol.....1 pint

M. Sig.—Apply to feet as required.

—No. 355—

Otorrhœa (Bleeding Ear.)—Gaz. Hebd. de Med.

- ℞ Goulard's Ext.20 drops
 Acid Acetic Dil.....6 drops
 Wine of Opium.....10 drops
 Aquæ Dest.....450 drops

M. Sig.—Warm, put 10 drops in the ear twice daily.

—No. 356—

Cardiac Dyspnœa (Smothering Spells from Heart Failure.)—G. See, M. D.

- ℞ Chloral Hydrate.....2 parts
 Potass. Iodide.....1 part
 Julep.....120 parts

M. Sig.—One teaspoonful to be taken every hour.

DISEASES OF WOMEN.

—No. 357—

Headache with Indigestion.—H. Atla.

- ℞ Pepsin Sac.....3 drachms
 Bismuth Sub-Nit.....2½ drachms
 Podophyllin Pulv.....3 grains
 Belladonna Pulv. Ext.....2 grains
 Morphine Sulph.....1½ grains

M. For 24 powders. Sig.—One after each meal.

—No. 358—

Indigestion, Enfeebled Vitality, Coated Tongue, Foul Taste, etc.—H. Atla.

- ℞ Pepsin Sac.....1 ounce
 Bismuth Sub-Nit.2 drachms
 Tinct. Nucis Vomica.....2 drachms
 Podophyllin Ext. fl.....2 drachms
 Sherry Wine, to make.....8 ounces

M. Sig.—One teaspoonful in ¼ tumbler of cold water before each meal. Shake well before using.

—No. 359—

Broken Down Health.—H. Atla.

- ℞ Elixir Gent. and Iron.....4 ounces
 Bismuth Sub-Nit.....3 drachms
 Lacto Peptine.....3 drachms
 Sherry Wine, to make.....8 ounces

M. Sig.—Shake. One teaspoonful after each meal.

—No. 360—

Sleeping or Resting Powders.—Jour. de M.

- ℞ Trional.....2½ drachms
 Heroine.....5 grains

M. For 10 powders. One powder to be taken in a cupful of milk or hot tea at bed-time.

—No. 361—

Nerve Tonic.—Brown, M. D.

- ℞ Ferri Sub-Carbonate.....2 scruples
 Quinine Valerinate.....1 scruple
 Asafœtidæ.....1 drachm
 Acid Arsenios.....¼ grain
 Strychnine Sulph.....¼ grain
 Ext. Sumbul.....1½ scruples

M. For 24 capsules. Sig.—One after each meal.

—No. 362—

Nervousness and Mental Depression.—Robi.

- ℞ Glycerophosphate of Sodium....375 grains
 Aquæ Dest.....375 grains
 Aquæ Autanti Flores.....375 grains
 Syrup Auranti Cort.....439 grains

M. Sig.—One coffeespoonful three times a day.

—No. 363—

Neuralgia of Ovaries.—Martain.

R Ext. Belladonna.....3 grains
 Ext. Stramonium.....2½ grains
 Lactophenin.....90 grains

M. For 20 powders. Sig.—One three times daily.

Diseased or Prolapsed Ovaries.—H. Atla.

If, upon walking or jolting, pain is greatly increased, the trouble, no doubt, is due to prolapsed ovaries, which should be replaced and kept in position until relieved of the congested state in which they are in. This is best accomplished by placing wads of cotton in the vagina under each ovary, then a larger wad under both smaller ones.

[Note.] Ovaryache does not necessarily mean ovarian disease any more than headache means brain disease.

—No. 364—

Cracked Nipples.—Dominion Med. Mon.

R Tinct. Benzoin Composit.....½ drachm
 Spir. Camphor.....16 minims
 Oil Olive.....2 drachms
 Adipis Lanæ Hydrosi, to make...1 ounce

M. Bathe the nipples and apply after each nursing.

—No. 365—

Brown Spots of Pregnancy.—Med. Mon.

R Zinc Oxide.....1 drachm
 White Precipitate.....1½ grains
 Castor Oil.....2 drachms
 Ess. of Rose.....19 drops
 Cacao Butter.....2 drachms

M. Sig.—Apply to spots morning and evening.

—No. 366—

Sore Mouth of Nursing Women.—Med. Mon.

R Catharmon.....2 ounces
 Glycerin.....2 drachms
 Aquæ Menth. Pip.....2 ounces

M. Sig.—Use as a mouth wash three times daily.

—No. 367—

Pruritus Vulva (Intense Itching of the Privates.)—Dr. Shoemaker's Lotion.

Borax 1 drachm, alum 1 drachm, water 4 ounces. Mix and apply three times daily.

Another.—Oliver's Treatment.

Cocaine 10 grains, chloral 11 grains, glycerin 1 ounce. Apply three times daily.

Another.—Lutaud's Lotion.

Water 500 parts, chloral hydrate 5 parts, tincture eucalyptus 5 parts, cocaine hydroch. 1 part. Mix and apply 2 or 3 times daily.

—No. 368—

Leucorrhœa (Whites.)—Lutaud.

R Potass. Chlorate.....12 parts
 Wine of Opium (Sydenham's)...10 parts
 Aquæ Tar.....300 parts

M. Two or three teaspoonfuls to a quart of water, hot as can be borne, and, with a rubber bulb syringe, inject into vagina. pass nozel well up, and, while syringing, gently shift it from side to side to have the water come in contact with all parts of the vagina.

—No. 369—

Leucorrhœa.—Ebbert's Treatment.

Vaseline 1 ounce, golden seal ½ drachm, listerine ½ drachm. Mix all together and stir briskly while being warmed, to reduce the vaseline to fluid. Use freely on wad of cotton, with a string attached to withdraw it by, and pass it well up in vagina, twice daily.

—No. 370—

Leucorrhœa.—Braun's Internal Remedy.

R Crystallized Sulphate of Iron...1 drachm
 Carbonate of Potassium.....1 drachm
 Pure Ergotine.....22 grains
 Pulv. Licorice Root and Ext., q. s.

M. For 50 pills. Sig.—Two or three pills to be taken three times daily, in pale, bloodless women, when the discharge is accompanied with blood. If no blood is present and constipation exists, replace the ergotine with thirty grains of aloes.

At the same time copious vaginal injections, medicated with the following, should be used:

R Acetate of Lead.....1 ounce
 Pulv. Dried Alum.....1 ounce
 Acid Carbolic.....1 drachm
 Aquæ, to make.....6 ounces

M. Sig.—Two teaspoonfuls to one quart of hot water, and then inject as directed in 368.

—No. 371—

Amenorrhœa (Absence or Stoppage of the Menstrual Flow.) (When due to Colds.)—H. Atla.

R Ext. Ergot fl.....½ ounce
 Tinct. Aloes.....½ ounce
 Elixir Simp., to make.....4 ounces

M. Sig.—Teaspoonful every three hours until the flow is established. Hot sitz baths will promote the action of the medicine.

—No. 372—

Amenorrhœa Due to Mental Disturbance.—Parven, M. D.

R Ferri Sulph Exsiccant.....24 grains
 Terebinth Albæ.....24 grains
 Aloes.....3 grains

M. For 24 pills. Sig.—One pill three times daily.

—No. 373—

Amenorrhœa in Pale, Bloodless Women.—Fothergill.

- ℞ Acid Arsenious.....1 grain
 Ferri Sulph. Exsiccât.....½ drachm
 Pulv. Pip. Nigr.....½ drachm
 Pil. Alœs et Myrrhæ.....½ drachm
 M. For 40 pills. Sig.—One twice daily after meals.

—No. 374—

Dysmenorrhœa (Painful Menstruation).—Lyon.

- ℞ Ext. Cannabis Indica.....5 grains
 Ext. Valerian.....20 grains
 Asafœtidæ.....40 grains
 M. For 20 pills. Sig.—Take one three times daily.

—No. 375—

Dysmenorrhœa with Nervous Prostration.—N. E. Medical Monthly.

- ℞ Acid Arsenious.....¼ grain
 Dried Sulphate of Iron.....10 grains
 Ext. Sumbul.....10 grains
 Asafœtidæ.....40 grains
 M. For 10 pills. Sig.—One pill after each meal.

—No. 376—

Hemorrhagia (Excessive flow of Menses).—M. B.

- ℞ Salipyrin.....1¼ drachms
 Potass. Bromide.....1¼ drachms
 Ext. Viburnum Prunifolium...5 drachms
 Aquæ Dest.....1 ounce
 Cognac.....2½ drachms
 Syr. Orange Peel.....2½ drachms

A teaspoonful of this mixture to be taken in the evening the fifth day before the expected period, the same quantity morning and evening on the fourth and third days, three teaspoonfuls on the second day, and four on the day before and the day of the appearance of the menses.

—No. 377—

Menstruation Prolonged.—Robin, M. D.

When the menses come too soon and the period prolonged beyond the ordinary term there should be taken at the two principal meals, beginning eight days before the proper menstrual period one to two coffeespoonfuls of the following mixture:

- ℞ Elixir of Garus.....1,500 grains
 Fl. Ext. Hydrastis.....45 grains
 Fl. Ext. Viburnum.....45 grains
 M. This medication must be discontinued from the day the menses begin, and be resumed on the fourth day if flow is prolonged.

—No. 378—

Subinvolution (Enlarged Womb).—Hirst.

Symptoms.—Backache; pelvic pains; dragging sensation; bearing-down pains; leucorrhœa; menstrual disorders and throbbing about the womb.

- ℞ Strychnia Sulph.....1 grain
 Quinia Sulph.....1 drachm
 Ext. Ergot.....½ drachm
 M. For 30 pills. Sig.—Take one after each meal.

In connection with the above treatment, use 180 and 368 as each directs. This trouble is very difficult to cure, hence, may require many months of constant treatment.

—No. 379—

Vulvitis (Inflammation of Privates).—Waring.

- ℞ Liq. Plumbi Subœctate.....1 drachm
 Tinct. Hyocyam.....2 drachms
 Aquæ Camphor.....8 ounces
 M. Warm. Apply constantly, with saturated cloth.

—No. 380—

Vaginitis (Inflammation of Vagina).—Janowsky.

- ℞ Alum.....225 grains
 Borate of Sodium.....225 grains
 Sulphate of Quinine.....15 grains
 Ess. of Thyme.....15 drops
 Carbolic Acid.....15 drops
 Glycerin.....3,00 grains
 M. Soupspoonful to a quart of hot water and inject into the vagina as directed in 386. Use 2 or 3 daily.

—No. 381—

Severe Pain Around the Womb.—H. Atha.

- ℞ Tinct. Belladonna.....½ ounce
 Tinct. Opii.....½ ounce
 Glycerin.....1 ounce
 M. A small, soft sponge, with a string attached to withdraw it by, to be soaked in this solution and passed well up into vagina as needed.

—No. 382—

Inflammation of Womb With Hemorrhage.—Dr. Chace.


- ℞ Ext. Ergot, fl.....1 ounce
 Ext. Hamamelidis.....2 drachms
 Tinct. Cinnamom.....2 drachms
 M. Sig.—Take one teaspoonful every two hours.

—No. 383—

Vomiting of Pregnancy.—Dr. Bery.

- ℞ Liq. Potass. Arsenitis.....16 minims
 Sodii Bicarb.....1 drachm
 Ext. Valeriana, fl.....1 ounce
 M. Sig.—Teaspoonful every two hours, as needed.

—No. 384—

Genital Organs of Woman.—H. Atla.

58, large intestine or colon; 59, bladder; 60, pubic bone; 61 urethra, through which the urine is expelled; 62, vagina, when inflamed the disorder is vaginitis; 63, labi or lip, a part of the vulva, when inflamed, is vulvitis, when intense itching, pruritus vulva; 64, blood vessel; 65, spinal chord; 66. backbone; 67, body of womb; 68, neck of womb and its opening, external os (mouth), and where line crosses is the internal os; 69, rectum, where piles, anal fisures and contracton of sphincter ani muscles occur; 70, perinæum, the parts between rectum and vagina and which sometimes ruptures during child delivery. Applications of cloths wrung from hot water will prevent the accident.

In falling of the womb it may remain perpendicular, but as a rule it tips forward and causes bladder trouble by resting on that organ, or backwards and rests on the rectum producing constipation by closing that organ, or it may double up on itself and partially close the internal os, which condition creates the most dangerous form of dysmenorrhœa.

—No. 385—

Congestion of Womb.—Madrec.

℞ Magnesia Sulph.....45 parts
 Ferri Sulph.....5 parts
 Manganes Sulph.....5 parts
 Acid Sulphuric Dil.....4 parts
 Aquæ Dest., to make200 parts

M. Teaspoonful in a wineglassful of water internally before meals, and use copious hot water injections into vagina, twice daily.

—No. 386—

Menstrual Colic.—Da Costa.

℞ Chloroform (pure).....2 drachms
 Spts. Camphor.....2 drachms
 Spts. Æther Nitros.....6 drachms
 Spts. Æther Comp.....6 drachms

M. One-half to a teaspoonful in two tablespoonfuls of water to which a teaspoonful of good whiskey has been added, every half hour for three doses.

—No. 387—

Constipation in Pregnancy.—Markwith.

℞ Flowers of Sulphur.....3 drachms
 Pulv. Senna Leaves.....½ ounce
 Pulv. Licorice Comp.....½ ounce
 Sac. Alb.....1 ½ ounces

M. Teaspoonful in ½ tumbler of water at bed-time.

—No. 388—

Chlorosis (Green Sickness).—Liegeois.

This affection usually occurs at the age of puberty, and may be brought on by grief, disappointment in love, etc., and symptoms are, sadness, nervousness, pale and bloodless, craves such things as salt, chalk, clay, slate, etc., at other times, pickles, lemons, etc. All these must be forbidden, and take this:

℞ Iron Sulph.....75 grains
 Sugar of milk.....225 grains
 Pulv. Cascara Sagrada.....375 grains

M. For 100 powders. Sig.—One after each meal.

For the indigestion take this.—Upshur.

℞ Zinc Sulphocarbolic.....6 grains
 Pepsin Pura.....¼ drachm
 Pancreatis Ext.....¼ drachm
 Bismuth Subgallate.....5 drachms

M. For 20 powders. Sig.—One before each meal.

—No. 389—

Soreness or Rawness of Vagina or Vulva:

℞ Pulv. Flaxseed.....6 ounces
 Pulv. Hydrastis.....½ ounce
 Pulv. Tanic Acid.....½ ounce

M. A tablespoonful to one quart of boiling water, stir, then strain and inject as directed in 368.

—No. 390—

Suppositories for Painful Menses.—H. Atla.

℞ Ext. Cannabis.....0.15 milligr.
 Ext. Belladonna.....0.15 milligr.
 Cacao Butter.....30 grammes.

M. For one suppository. Make five like it. Sig.—Place one in the vagina every evening, starting from the fifth day before the menses.

—No. 391—

Menopause (Change of Life).—Parvin.

- ℞ Ammonia Bromide.....1 drachm
 Sodii Bromide.....½ ounce
 Spts. Ammon. Aromat6 drachms
 Aquæ Camphor, to make.....6 ounces
 M. Sig.—Take one teaspoonful every four hours.

If nervous symptoms are present take the following: (Dr. Godell.)

- ℞ Potassii Bromidi.....4 drachms
 Ammonii Bromidi.....2 drachms
 Spirits Ammonii Aromatic.....6 drachms
 Aquæ Camphoræ, to make.....6 ounces
 M. Sig.—One desertspoonful every four hours.

The heats and flushing will be relieved and cured by taking every evening a full hot bath, lasting 20 minutes.—Gottschalk.

—No. 392—

Cystitis (Inflammation of Bladder).—Kelly.

- ℞ Spir. Chloroform.....1 ½ drachms
 Tinct. Belladonna.....¾ drachm
 Potass. Acetate.....2 drachms
 Infus. Buchu, to make.....4 ounces
 M. Sig.—One to two teaspoonfuls 3 times daily.

—No. 393—

To Arrest the Secretion of Milk.—H. Atla.

- ℞ Camphor.....1 drachm
 Tinct. Belladonna.....3 drachms
 Oil of Terebinth.....6 drachms
 M. Sig.—Apply to the breasts 2 or 5 times daily.

—No. 394—

Cramping and Vomiting During Menses.

- ℞ Tinct. Belladonna.....2 drachms
 Tinct. Opii Deod.½ ounce
 Elixir Valerinate Ammo.....2 ounces
 M. One teaspoonful every three hours until comparative relief is obtained. A fomentation of hops to the bowels will aid in effecting relief. H. Atla.

—No. 395—

Wrinkles.—Salisbury.

These tell-tale marks of time are caused by the diminished elasticity of the skin and by the loss of water from the tissues as age advances; and thus the creases that in youth leave no mark, will, if not cared for, become in after years permanent.

The following lotion, "Retiring Cream" renders the skin soft, smooth and supple:

- ℞ Expressed Oil of Almonds.....2 drachms
 Cacao Butter.....4 drachms

- Adeps Sanæ.....2 ounces
 Glycerin.....2 drachms
 Oil of Rose.....2 drops

Melt the first two ingredients by means of heat, then add the others. Apply widely over the wrinkles, twice daily. Rub well in.

—No. 396—

To Remove Freckles.—Medical News.

- ℞ Hydrargyri Chloridi Corros.....8 grains
 Zinci Sulphat.....7 ½ grains
 Plumbi Sulphat.....7 ½ grains
 Aquæ Des.....8 drachms

M. Rub the skin with this lotion for half a minute night and morning, allowing it to dry in the air. If this proves too irritating, use the lotion only at night, and in the morning use the following ointment:

- ℞ Zinci Oxidi.....75 grains
 Vaselini.....1 drachm
 M. Apply as directed.

—No. 397—

Mastodynia (Pain in Breasts).—Romburg.

- ℞ Extract Conii.....20 grains
 Extract Papaveris.....20 grains
 Extract Stramonii.....5 grains
 M. For 20 pills. Sig.—Take one twice a day.

—No. 398—

Mastitis (Inflammation of Breasts).—Jewel.

- ℞ Iodoform.....1 drachm
 Thymol.....16 grains
 Adipis.....2 ounces
 M. Sig.—Apply to the breasts freely, 3 times daily.

—No. 399—

Ovarian Dysmenorrhœa (Pain in ovaries at menstrual periods).—Guide to Health.

- ℞ Extract Belladonna.....1 grain
 Pulv. Opii.....3 grains
 Gum Asafœtidæ.....½ drachm
 Cacao Butter q. s.

M. For 6 suppositories. Sig.—One by rectum, morning and at night, while suffering.

—No. 400—

Constant Desire to Urinate.—G. H.

- ℞ Tinct. Belladonna.....2 drachms
 Elixir Calisaya, to make.....3 ounces
 M. Sig.—Take one teaspoonful three times a day.

—No. 401—

To Prevent Miscarriage.—G. H.

- ℞ Helonias Cordial, (Merrels).....4 ounces
 Sig.—Take one teaspoonful 3 or 4 times daily.

—No. 402—

Periodic Sick-headache and Leucorrhœa.

Elixir iron quinia and strychnia 8 ounces. Take one teaspoonful three times a day, and for the leucorrhœa, get $\frac{1}{2}$ ounce tannin, divide into 24 powders, dissolve one in a pint of soft, hot water and inject into vagina every evening before retiring. For the sick-headache, get 4 ounces of tincture gentian comp. and take one teaspoonful whenever the attack is coming on, then repeat every four hours.

DISEASES OF CHILDREN.

—No. 403—

Constipation of Infants.—Medical Press.

Constipation in breast-fed infants is caused by an excess of casein in the mothers milk, and the first step, therefore, must be to regulate the habits and life of the mother. She must be placed on a diet of fresh meat, fresh vegetables and freshly cooked fruit, with regular exercise and restriction in the matter of tea drinking or other dietetic irregularities. Should this fail, give the child cream in doses of from one to two teaspoonfuls in warm water from time to time before regular meals.

—No. 404—

Syrup for Constipation.—L' Union Medicale.

℞ Podophylin.....1 grain
Alcohol..... $1\frac{1}{2}$ drachms
Syrup of Red Raspberry.....3 ounces

M. Sig.—From a small teaspoonful to a dessertspoonful every morning, according to age and obstinacy of the constipation.

—No. 405—

Laxative.—Ferrand.

℞ Manna.....3 drachms
Magnesia..... $\frac{3}{4}$ ounce
Sulphur..... $\frac{3}{4}$ ounce
Mel.....3 drachms

M. Sig.—One to two dessertspoonfuls, according to age, in a cup of warm milk or weak tea as needed.

—No. 406—

Colic.—The Doctor, St. L.

℞ Oil Terebinth.....1 drachm
Chloroform.....10 drops
Sodæ Bicarb.....10 grains
Mucilage Acaciæ.....3 ounces

M. Sig.—Thirty drops every two or three hours for a child six months old.

—No. 407—

Summer Complaint.—Hayward.

℞ Bismuth Sub-Nit..... $1\frac{1}{2}$ drachms
Bismuth Salicylatis.....15 grains
Tinct. Rhei Aromat..... $\frac{1}{2}$ drachm
Aquæ Dest, to make.....2 ounces

M. Sig.— $\frac{1}{2}$ to a teaspoonful every 1, 2 or 3 hours.

—No. 408—

Slimy Stools mixed with Blood.—Chambers.

℞ Tinct Opii.....8 minims
Pulv. Ipecac.....3 grains
Sodæ Bicarb.....20 grains
Syrup Simp..... $\frac{1}{2}$ ounce
Aquæ, to make..... $1\frac{1}{2}$ ounces

M. Sig.—Small teaspoonful every 1, 2 or 4 hours.

—No. 409—

Greenish Diarrhœa.—Stewart.

℞ Zinci Sulpho-Carb..... $2\frac{1}{2}$ grains
Lacto-Peptine.....12 grains
Bismuth Sub-Nit.....18 grains

M. For 12 powders. Sig.—One every two hours until relieved, then increase the intervals and give as necessary to control the bowels.

—No. 410—

Cholera Infantum.—The Doctor, St. L.

℞ Phenic Acid.....2 minims
Peppermint Water..... $\frac{3}{4}$ ounce
Alcohol..... $12\frac{1}{2}$ minims
Mucilage Gum Arabic.....7 $\frac{1}{2}$ drops
Syrup Simplex.....2 ounces

M. Sig.—One teaspoonful every two hours.

Another.—Dr. Davis.

℞ Sodii Bicarb.....1 drachm
Morph. Sulphat.....1 grain
Aquæ Dest.....2 ounces

M. From 6 to 15 drops, according to age of child, immediately after each paroxysm of vomiting.

Another.—Hayem and Lesage.

℞ Lactic Acid.....45 grains
Syrup of Quince.....375 grains
Aquæ Dest.....1,500 grains

M. Solution should be iced. A coffeespoonful to be given every half hour for three hours, then every hour, but stop when the use of milk is resumed.

—No. 411—

Obstinate Vomiting.—H Atla.

℞ Cocaine Muriate..... $\frac{3}{4}$ to $1\frac{1}{2}$ grains
Aquæ Calcis.....1 ounce
Aquæ Cinnamon.....1 ounce

M. Sig.—Thirty drops every three hours, or oftener, to a child from six months to a year old.

When the little one is exhausted and apparently lifeless, the above will arrest the vomiting and will stimulate and strengthen.

—No. 412—

Bloating.—Bartholow.

- ℞ Mist Asafoetidæ.....2 ounces
- Sodii Bromid.48 to 80 grains
- M. Small teaspoonful to a child 1 to 4 months old.

—No. 413—

Sore Mouth.—N. Y. Med. Jour.

- ℞ Borax.....2 drachms
- Tinct. Benzoin fl.....1 drachm
- Honey fl.10 drachms
- Aquæ Dest, to make.....2 ounces
- M. Dip a camel's hair pencil in this solution and touch patches in the mouth 4 or 5 times daily.

—No. 414—

Nasal Obstruction in Newborn.—Leopold.

- ℞ Sodii Biboratis.....1½ drachms
- Glycerini.....1 ounce
- M. Hold the head well back and allow 3 or 4 drops to enter the nose on both sides, three times daily.

—No. 415—

Convulsions.—Review Medicale.

- ℞ Tinct. Colchicum.....120 minims
- Syrup Rhubarb.....900 minims
- Pure Gum Arabic.....900 grains
- Aquæ Dest.....3,750 minims
- M. Sig.—A teaspoonful every two hours.

—No. 416—

Whooping Cough.—Starr.

- ℞ Ext. Belladonna Folium Alcohol...1 grain
- Aluminus.....½ drachm
- Syrup Zingiberis.....2½ drachms
- Syrup Acaciæ.....2½ drachms
- Aquæ Dest.....3 drachms
- M. Teaspoonful 4 times in 24 hours. For 1 year old.

—No. 417—

Worms.—Dr. Rex.

- ℞ Santonini.....4 grains
- Ext. Spigelia et Sema fl.....1 ounce
- M. Teaspoonful 3 times a day. For 3 years old.

—No. 418—

Wetting the Bed.—White.

- ℞ Sodii Benzoatis.....10 grains
- Sodii Salicylatis.....10 grains
- Ext. Belladonna.....2 drops
- Aquæ Cinnamoni.....4 ounces
- M. Sig.—Teaspoonful four or five times daily, for a child of six or eight years old.

—No. 419—

Spasmodic Croup.—Dr. Joseph Holt.

- ℞ Chloralis.....60 grains
- Potassi Bromidi.....75 grains
- Ammonii Bromidi.....30 grains
- Aquæ Cinnamoni.....2 ounces
- M. Small teaspoonful and repeat in 30 minutes if not relieved. This is for a child 5 or 6 years old.

—No. 420—

Nettle-Rash.—Wolf, M. D.

Sulphate of Sodium internally every three hours in doses of 15 grains for a child 5 or 6 years old. At the same time, apply locally frequently and freely the following lotion:

- ℞ Prepared Calamine.....45 grains
- Oxide of Zinc.....45 grains
- Carbolic Acid.....8 grains
- Aquæ Lime.....950 grains
- Aquæ Rosæ.....1,750 grains
- Nettle-rash is cured in 24 hours by this treatment.

—No. 421—

Fever Drops for Children.—Dr. Love.

- ℞ Antifebrin.....1 scruple
- Alcohol.....1 drachm
- Glycerin.....1½ drachms
- Aquæ Cinnamom.....½ ounce
- Syrup Simp.....2 drachms
- M. Sig.—Thirty drops to a teaspoonful every two to four hours, according to age and necessities.

—No. 422—

Diphtheria.—Dr. William Titus.

- ℞ Potas. Chlorate.....½ drachm
- Tinct. Cardamom Comp.....2 drachms
- Aquæ Dest.....4 ounces
- M. Sig.—One teaspoonful every half hour for six hours, then every two hours, in a severe case in a child from six to twelve months old.

In addition, the following spray is used:

- ℞ Zinc Sulph.....6 grains
- Acid Salicylic.....20 grains
- Glycerin.....1 ounce
- Aquæ Dest.....1 ounce
- M. Sig.—A teaspoonful in two tablespoonfuls of hot water to be sprayed by a hand atomizer every two hours, or oftener if necessary.

—No. 423—

Hives.—Dr. J. J. Liggett.

- ℞ Potass. Iodide.....2 drachms
- Vini Colehici Sem.....½ ounce
- Tinct. Cimicifuga.....1 ounce
- Tinct. Stramon.....½ ounce
- Tinct. Opii Cauph.....¾ ounce
- M. Sig.—From 15 drops to a teaspoonful, according to age of the child, three times daily.

—No. 424—

Scarlet Fever.—Whitla.

In the early stages give the following:

- ℞ Spir. Æther Nitrosi.....2 drachms
Potassium Citratis.....1 drachm
Liq. Ammo. Acet.....1½ ounces
Syrup Simplex.....1 ounce
Aquæ Camphoræ, to make.....4 ounces

M. Sig.—One teaspoonful every three hours; and for the throat use the following:

- ℞ Glycerini Acid Carbolici.....1½ ounces
Glycerini Boracis.....2 drachms
Aquæ Rosæ, to make.....5 ounces

M. Sig.—To be used as a spray several times daily.

Dr. Widerhofer gives the following in sore throat of scarlet fever:

- ℞ Potassi Chlorate.....20 grains
Syrup Auranti.....3 drachms
Decoction Cinchoni, to make.....3 ounces

M. Sig.—Teaspoonful every two or three hours.

Dr. Lewis Smith uses the following lotion for the itching of the skin in scarlet fever:

- ℞ Acid Carbolici.....1 drachm
Tinct. Camphor.....2 ounces
Aquæ Dest.....1 pint

M. Sig.—Shake well, and apply over the surface when needed to allay the itching.

Dr. Matifield gives the following in vomiting of scarlet fever.

- ℞ Tinct. Gelsemii.....½ ounce
Aquæ Calcis.....½ ounce
Aquæ Cinnamomi.....½ ounce

M. One teaspoonful every hour when needed.

—No. 425—

Mumps.—H. Atla.

- ℞ Ichthyolis.....45 grains
Plumbi Iodidi.....45 grains
Ammon. Chloridi.....30 grains
Vaseline.....1 ounce

M. Apply to the swollen parts three times a day.

—No. 426—

Rickets.—Jour. of Medicine.

This affection in children is characterized by a large head, or crooked limbs or back, distended abdomen, and general debility; often accompanied with precarious mental faculties.

- ℞ Phosphorus.....1 grain
Alcohol Absolute.....5 drachms
Spts. Peppermint.....30 minims
Guaiacol.....2 ounces

M. Six drops of this mixture may be given in water three times a day, and after the

lapse of one week another drop may be added to each dose.

—No. 427—

Measles.—Medical Record.

To develop the eruption and allay incessant cough give the following:

- ℞ Syrup of Hydriodic Acid.....1 ounce
Dover's Syrup.....1 ounce
Syrup of Tolu.....1 ounce

M. Sig.—½ teaspoonful every one or two hours.

Dr. Humphreys gives the following for cough in measles.

- ℞ Spir. Ammon. Aromat.....2 drachms
Vin. Ipecacuanhæ.....4 drachms
Syrup Scillæ.....½ ounce
Syrup Tolutani.....½ ounce
Fl. Ext. Valerian.....½ ounce

M. Sig.—One teaspoonful every hour or two or at shorter intervals when the cough is frequent.

Dr. Stizover anoints the body twice a day with ichthyol 30 parts, axungiæ 90 parts, to remove the eruptions promptly in the latter stages of measles.

—No. 428—

Itching.—Berlin Therapeutische Monstachefte.

For any ailment that produces itching:

- ℞ Lanolin Puris Liebr. Anyhidric....5 parts
Vaseline.....2 parts
Aquæ Dest.....3 parts

M. Sig.—Apply to affected parts every three hours.

—No. 429—

Chafing.—H. Atla.

- ℞ Bismuth Sub-Nit.....1 drachm
Pulv. Gum Acaciæ.....7 drachms

M. Dust on after washing parts with castile soap.

—No. 430—

Eczema.—H. Atla.

- ℞ Creasoti.....50 drops
Aquæ Calcis.....1 ounce
Oil Olivæ.....1 ounce

M. Sig.—Apply the ointment once or twice daily.

—No. 431—

St. Vi'tus' Dance.—Benedikt.

- ℞ Fowler's Solution.....2 to 3 parts
Aquæ Dest.....220 parts
Syrup Simplex.....30 parts

M. Sig.—One tablespoonful three times a day.

INDEX OF RECIPES.

A		
Alcoholism.....	299	
Appendicitis.....	298	
Asthma.....	264, 265	
B		
Back, Pain in Muscles at Lower Extremity of...	332	
Baldness.....	339, 340	
Bald Spots.....	338	
Barber's Itch.....	342	
Black-heads and Pimples.....	296	
Bladder, Irritable.....	175, 176, 177	
Blister, Painless.....	286	
Big-neck.....	328	
Boils.....	255	
Breath, To Sweeten.....	333	
Bright's Disease.....	301	
Bronchitis.....	186, 187, 188, or 189	
Burns.....	249	
C		
Cataract.....	351	
Catarrh, Nasal.....	221, 222	
Catarrhal Fever.....	224	
Catarrhal Jaundice.....	223	
Chafing and Galling.....	285	
Chapped Hands.....	267	
Chilblains (Frost Bites).....	397	
Cholera Morbus.....	143, 144	
Cholera, To Prevent.....	145	
Chordee (Painful Erections).....	349	
Colds, Coughs, etc.....	181, 182, 183, 184	
Constipation.....	136, 137	
Constipation From Diseased Rectum.....	215	
Consumption.....	318	
Corns.....	254	
Cough, Consumptive.....	285	
Crablice.....	268	
Cramps.....	266	
D		
Dandruff.....	344	
Diabetes.....	288	
Diarrhœa.....	138, 139	
Dropsy.....	279, 280	
Dysentery.....	141, 142	
Dyspepsia.....	146, 147, 148, 149, 150	
E		
Earache.....	281	
Ear, Acute Inflammation of.....	282	
Ear, Bleeding of.....	355	
Ear, Discharge From with Deafness.....	283	
Eczema.....	241, 242, 243, 244, 245	
Eczema of Anus and Scrotum.....	246	
Eczema of Eyelids.....	245	
Eczema, W. Marshall Craig's Treatment for... ..	247	
Epilepsy.....	295	
Erycipelas.....	270, 271	
Eyebrows, Loss of.....	341	
Eyes, Inflammation of.....	321	
F		
Feet, Offensive Sweating of.....	354	
Felons.....	256	
Fever, Intermittent.....	303	
Fever, Malarial.....	302	
Fever Mixture.....	258	
Fever, Relapsing.....	305	
Fever, Remittent.....	304	
Fever, Typhoid.....	306, 307, 308, 399	
G		
Galling and Chafing.....	285	
Gall Stones.....	353	
Glands, Inflammation of.....	253	
Gleet, A Specific for.....	294	
Gonorrhœa in Men, First Stages of.....	293	
Gonorrhœa in Women.....	291, 292	
Gout.....	206, 269	
Gravel.....	327	
Grippe, To Cure and Prevent.....	228, 229, 230, 231	
H		
Hair Restoratives.....	335, 336, 337, 338, 339, 340	
Hair, Superfluous, to Remove.....	334	
Hall's Secret Remedy.....	180	
Hands, To Keep White and Soft.....	326	
Hay Fever.....	277	
Headache.....	151	
Headache, Billious.....	155	
Headache, Distress after Eating.....	163	
Headache, Nervous.....	152	
Headache of Nervous Debility.....	153	
Headache of Nervous Prostration.....	154	
Headache, Neuralgic.....	161, 162	
Headache, Sick.....	164	
Headache with Irritable Stomach.....	156	
Healing Ointment.....	250	
Heartburn.....	173	
Heart, Enlargement of.....	200	
Heart Stimulent.....	201	
Hemicrania.....	160	
Hiccough, Prolonged.....	203	
Hip-Joint, Disease or Injury of.....	198	
Hoarseness.....	276	
I		
Indigestion.....	146, 147, 148, 149, 150	
Insect Bites.....	323	
Intestines, Disease of.....	190	
Itch, Common.....	322	
Jaundice, Yellow.....	232	
Joints, Chronic Affections of.....	239	
Kidneys, Inflammation of.....	289, 290	
L		
Laxative.....	259	
Liniment, For Bruises, Sprains, Lame Back, etc.	219	
Liver, Disease of.....	207	
Lumbago (Rheumatism in Muscles of Back)....	213	
Milk-Leg.....	347	
Mouth, Sore.....	193	
Neuralgia.....	310, 311, 312, 313, 314	
Nose, Bleeding of.....	316	
Nose, Inflammation of.....	220	
P		
Pain at Eyebrows.....	157	
Pain in Back of Head and Neck.....	159	
Pain in Forehead.....	158	
Pain in Stomach, Back of Head and Neck.....	165	
Pimples, a Lotion for.....	174	
Piles (Hemorrhoids).....	233, 234, 235, 236, 237, 238	

Pleurisy.....	174, 175
Pneumonia.....	272, 273
Poison, General Antidote for.....	329
Prostate Gland, Enlargement of.....	319
Prostate Gland, Inflammation of.....	320
Quinsy and Sore throat.....	192
Rectum, Abscesses of.....	202
Rheumatism.....	208, 209, 210, 211, 212, 214
Rheumatic Sciatic.....	218
Ringworm.....	262, 263

S

Sæcum, Inflammation of.....	205
Sea Foam for Shampooing.....	343
Seat Worms, How to Remove.....	261
Seminal Emissions.....	350
Sexual Disability.....	346
Scalding, with Brick Dust Deposit in Urine	177
Sciatica, California Doctor's Treatment for...	217
Shingles (Herpes Zoster).....	257
Skin Disease.....	240
Smothering Spells from Weak Heart.....	356
Sores, Soothing and Healing Ointment for, 250,	251
Sphincter Ani, Pain and Spasms of.....	216
Spleen, Enlargement of.....	197
Stomach, Acute Neuralgia of.....	167
Stomach, Cancer of.....	170
Stomach, Catarrh of.....	168
Stomach, Burning at.....	172
Stomach, Severe Pain or Cramping of.....	171
Stomach, Spasmodic Pains of.....	166
Stomach, Ulcers of.....	169
Styes, A Specific for.....	278

T

Tape Worm.....	300, 352
Testicles, Inflammation of.....	287
Tetter.....	248
Throat, Sore.....	194, 195, 196
Toe Nails, Ingrowing.....	325
Tonsilitis.....	190, 191
Toothache.....	315
Tuberculosis (Consumption).....	317, 318

U

Ulcers.....	204, 225, 227, 348
Ureters, Spasms of.....	179
Urinating, Difficult or Painful.....	330
Urine, Bloody.....	260
Urine, Inability to Retain.....	331
Varicose Ulcers, Ointment for.....	204, 227
Varicose Veins.....	226
Vomiting, To Stop or Prevent.....	178
Warts, To Remove.....	252
Yellow Jaundice.....	232

DISEASES OF WOMEN.

Bladder, Inflammation of.....	392
Breasts, Inflammation of.....	398
Breasts, Pain in.....	397
Broken Down Health.....	359
Brown Spots of Pregnancy.....	365
Chlorosis (Green Sickness).....	388
Colic, Menstrual.....	386
Constipation in Pregnancy.....	387
Cracked Nipples.....	364
Freckles, to Remove.....	396

Genital Organs of Woman.....	384
Gonorrhœa in Women.....	291, 292
Headache with Indigestion.....	357
Indigestion, Enfeebled Vitality, etc.....	358
Itching of Privates, Intense.....	367
Leucorrhœa (Whites).....	368, 369, 370
Menopause (Change of Life).....	391
Menses, Cramping and Vomiting at.....	394
Menses, Excessive Flow of.....	376
Menses, Painful.....	374, 375, 390
Menses, Prolonged.....	377
Menses, Stoppage or Cessation of.....	371, 372, 373
Menstrual Colic.....	386
Milk, To Arrest the Secretion of.....	393
Miscarriage, to Prevent.....	401
Nerve Tonic.....	361
Neuralgia of Ovaries.....	363
Nervousness and Mental Depression.....	362
Ovarian Pain at Menstrual Periods.....	399
Privates, Inflammation of.....	379
Privates, Intense Itching of.....	367
Privates, Soreness or Rawness of.....	389
Sick Headache, Periodic, and Leucorrhœa....	402
Sleeping or Resting Powders.....	360
Sore Mouth of Nursing Women.....	366
Urate, Burning Sensation, Frequent Desire to	176
Urate, Constant Desire to.....	175, 400
Urate, Difficult or painful to.....	330
Urine, Inability to retain.....	331
Urine, Scalding, Brick Dust Deposit in.....	177
Vagina, Inflammation of.....	380
Vagina, Soreness or Rawness of.....	389
Vomiting of Pregnancy.....	383
Womb, Congestion of.....	385
Womb, Enlarged and Painful.....	378
Womb, Severe Pain in Region of.....	381
Womb, Inflammation of, With Hemorrhage	382
Wrinkles, To Make Smooth or Fill up Creases	395

DISEASES OF CHILDREN.

Bloating.....	412
Chafing.....	429
Cholera Infantum.....	410
Colic.....	406
Constipation of Infants.....	403, 404, 405
Convulsions.....	415
Croup, Spasmodic.....	419
Diarrhœa, Greenish.....	409
Diphtheria.....	422
Eczema.....	430
Fever Drops.....	421
Hives.....	423
Laxative.....	405
Measles.....	427
Mumps.....	425
Nasal Obstruction in Newborn.....	414
Nettle Rash.....	420
Rickets.....	426
Scarlet Fever.....	424
Sore Mouth.....	413
Stools, Slimy, Mixed with Blood.....	408
St. Vitus Dance.....	431
Summer Complaint.....	407
Vomiting, Obstinate.....	411
Wetting the Bed.....	418
Whooping Cough.....	416
Worms.....	417





JUL 25 1902



LIBRARY OF CONGRESS
0 022 190 096 0

